



CIESM ATLAS OF EXOTIC CRUSTACEANS IN THE MEDITERRANEAN:

BIBLIOGRAPHY – APRIL 2002 REVISED TO DECEMBER 2008

- Abdel-Razek F.A., 1987. Crab fishery of the Egyptian waters with notes on the bionomics of *Portunus pelagicus* (L.). *Acta Adriatica*, Split, 28 (1-2):143-154.
- Abdel-Razek F.A., El-Hawary M.M., Halim Y., Drobisheva S.S., 1981. A new Indo-Pacific penaeid in the Mediterranean, *Solenocera indica* Nataraj. *Bulletin of the Institute of Oceanography Fisheries*, Cairo, 7 (3): 575-577.
- Abelló P., Hispano C., 2006. The capture of the Indo-Pacific crab *Charybdis feriata* (Linnaeus, 1758) (Brachyura: Portunidae) in the Mediterranean Sea. *Aquatic invasions* 1: 13-16 (e-journal).
- Abelló P., Torres P., 1998. Occurrence of *Peneopsis serrata* (Bate, 1881) (Decapoda, Penaeidae) in the Mediterranean Sea. *Graellsia*, 54: 115-117.
- Ahyong S.T., 2001. Revision of the Australian Stomatopod Crustacea. *Records of the Australian Museum*, Supplement 26: 1-326.
- Ahyong S.T., Galil B.S., 2006. First Mediterranean record of the Indo-West Pacific mantis shrimp, *Clorida albolitura* Ahyong & Naiyanetr, 2000 (Stomatopoda, Squillidae). *Aquatic Invasions*, 1 (3): 191-193. (e-journal)
- Ahyong S.T., Naiyanetr P., 2000. Revision of the *Clorida latreillei* species complex with description of a new species (Squillidae: Stomatopoda). *The Raffles Bulletin of Zoology*, Singapore, 48 (2): 313-325.
- Al-Ghais S.M., Cooper R.T., 1996. Brachyura (Grapsidae, Ocypodidae, Portunidae, Xanthidae and Leucosiidae) of Umm Al Quwain mangal, United Arab Emirates. *Tropical Zoology*, 9 (2): 409-430.
- Almaça C., 1985. Evolutionary and zoogeographical remarks on the Mediterranean fauna of brachyuran crabs. *NATO Conference Series (Ecology)*, 8: 347-366.
- Apel M., Spiridonov V.A., 1998. Taxonomy and zoogeography of the portunid crabs (Crustacea: Decapoda: Brachyura: Portunidae) of the Arabian Gulf and adjacent waters. *Fauna of Arabia*, 17: 159-331.
- Ariani A.P., Serra V., 1969. Sulla presenza del *Portunus pelagicus* (L.) in acque italiane, con osservazioni sulla morfologia delle specie (Crustacea Decapoda). *Archivio Botanico e Biogeografico Italiano*, (s. 4) 14 (4): 187-206, 3 pls.
- Artüz M.L., 2007. A new lessepsian decapod in northern Aegean sea *Ixa monodi* (Holthuis and Gottlieb, 1956). *Applied biological sciences*, 73: 12-14.
- Athanassopoulos G., 1917. Quelques éléments de recherches hydrobiologiques en Grèce. *Bulletin de la station d'Hydrobiologie marine de Grèce*, 2 (1): 1-40.
- Babic K., 1913. *Thenus orientalis* (Fabricius) in der Adria. *Zoologischer Anzeiger*, 41: 273-274.
- Balkis H., Çeviker D., 2003. A new exotic crab species [*Calappa hepatica* (Linnaeus, 1758)] for the Mediterranean fauna. *Israel Journal of Zoology*, 49 (4): 320-321.
- Balss H., 1927. Bericht über die Crustacea Decapoda (Natantia und Anomura). Zoological Results of the Cambridge Expedition to the Suez Canal 1924. XIV. *Transactions of the Zoological Society of London*, 22: 221-227.
- Balss H., 1936. Decapoda (With an Appendix, Schizopoda, by C. Zimmer). The Fishery Grounds Near Alexandria. VII. *Fisheries Research Directorate Notes*

- and Memoirs*, Cairo, 15: 1-67.
- Banner D.M., Banner A.H., 1981. Annotated checklist of the Alpheid Shrimp of the Red Sea and Gulf of Aden. *Zoologische Verhandelingen*, Leiden, 190: 1-99.
- Banner D.M., Banner A.H., 1982. The alpheid shrimp of Australia part III. The remaining alpheids, principally the genus *Alpheus*, and the family Ogyridae. *Records of the Australian Museum*, 34 (1-2): 1-357.
- Banoub M.W., 1963. Survey of the Blue Crab *Callinectes sapidus* (Rath.) in Lake Edku in 1960. *Hydrobiology Department, Alexandria Institute of Hydrobiology. Notes and Memoirs*, 69: 1-18.
- Barnard K.H., 1950. Descriptive catalogue of South African Decapod Crustacea. *Annals of the South African Museum*, 38: 1-837.
- Barnes R.S.K., 1971. Biological results of the Snellius Expedition. XXIII. The genus *Macrophthalmus* (Crustacea, Brachyura). *Zoologische Verhandelingen*, Leiden, 115: 1-40.
- Ben Souissi J., Zaouali J., Rezig M., Bradaï M.N., Quignard J.P., Rudman B., 2004b. Contribution à l'étude de quelques récentes migrations d'espèces exotiques dans les eaux tunisiennes. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'Exploration scientifique de la Mer Méditerranée*, Monaco, 37: 302.
- Ben Souissi, J., Rezig M., Zaouali J., 2004a. Appearance of Invasive Species in Southern Lake of Tunis. In: Ozhan E. (ed.) Proceedings of the Sixth International Conference on the Mediterranean Coastal Environment, MEDCOAST 03, (7-11 October 2003, Ravenna, Italy): 911-922.
- Bishara N.F., 1976. Contributions to the biology of penaeid prawns in Lake Manzalah, Egypt. 1. Growth studies and length-weight relationship. *Aquaculture*, 8: 337-349.
- Bodenheimer F.S., 1935. Animal life in Palestine. An introduction to the problem of animal ecology and zoogeography. L. Mayer, Jerusalem. 506 p. 70 pls.
- Bodenheimer F.S., 1937. Prodromus Faunae Palestinae. Essai sur les éléments zoogéographiques et historiques du sud-ouest du sous-règne paléarctique. *Mémoires de l'Institut d'Égypte*, 33: i-ii, 1-286.
- Borg J.J., Attard-Montalto J., 2002. The grapsid crab *Percnon gibbesi* (Milne Edwards, 1853) (Crustacea, Decapoda, Brachyura), a new addition to the marine fauna of Malta. *Central Mediterranean Naturalist*, 3: 159-160.
- Boudouresque Ch.-F., 1994. Les espèces introduites dans les eaux côtières d'Europe et de Méditerranée : état de la question et conséquences. In: Boudouresque C.F., Briand F., Nolan C. (eds), *Introduced species in European Coastal Waters*. European Commission, D.G. XIII, Luxembourg: 8-27.
- Boudouresque Ch.-F., Ribera M.A., 1994. Les introductions d'espèces végétales et animales en milieu marin – conséquences écologiques et économiques et problèmes législatifs. In: Boudouresque C.F., Meinesz A, and Gravez V. (eds), First international workshop on *Caulerpa taxifolia*. GIS Posidonie publications, France, pp. 29-102.
- Bouvier E.L., 1901. Sur un *Callinectes sapidus* M. Rathbun trouvé à Rochefort. *Bulletin du Muséum d'Histoire naturelle*, Paris, 7 (1): 16-17.
- Bouvier E.L., 1940. Décapodes Marcheurs. *Faune de France*, Lechevalier et Fils, Paris, 37: 1-404.
- Breton G., Faasse M., Noël P., Vincent T., 2002. A new alien crab in Europe: *Hemigrapsus sanguineus* (Decapoda: Brachyura: Grapsidae). *Journal of Crustacean Biology*, 22 (1): 184-189.

- Bruce A.J., 1970a. Observations on the Indo-West Pacific species of the genus *Palaemonella* Dana, 1852 (Decapoda, Pontoniinae). *Crustaceana*, Leiden, 19 (3): 273-287.
- Bruce A.J., 1970b. Report on some commensal pontoniinid shrimp (Crustacea: Palaemonidae) associated with an Indo-Pacific Gorgonian host (Coelenterata: Gorgonacea). *Journal of Zoology*, London, 160: 537-544.
- Bruce A.J., 1976. Shrimps from Kenya. *Zoologische Verhandelingen*, Leiden, 145: 1-72.
- Bruce A.J., 1978. A report on a collection of pontoniine shrimps from Madagascar and adjacent seas. *Zoological Journal of the Linnean Society of London*, 62: 205-290.
- Bruce A.J., 1987. Re-descriptions of two little-known Indo-West Pacific palaemonid shrimps, *Periclimenes calmani* Tattersall and *P. delagoae* Barnard. *Journal of Natural History*, London, 21: 1415-1432.
- Buitendijk A.M., Holthuis L.B., 1949. Note on the Zuiderzee crab, *Rhithropanopeus harrisii* (Gould) subspecies *tridentatus* (Maitland). *Zoologische Mededelingen*, Leiden, 30 (7): 95-106.
- Bulgurkov K.I., 1968. *Callinectes sapidus* Rathbun in the Black Sea. *Izvest. NIORS*, 9: 97-99.
- Burkenroad M.D., 1934. Littoral Penaeidea chiefly from the Bingham Oceanographic collection. With a revision of *Penaeopsis* and descriptions of two genera and eleven new American species. *Bulletin Bingham oceanographic collections*, 4 (7) : 1-109.
- Burkenroad M.D., 1959. Decapoda, Macrura. 1. Penaeidae. Mission Robert Ph. Dollfus en Égypte, 25. *Résultats Scientifiques, Mission Robert Ph. Dollfus en Égypte*, 3: 67-92.
- Burukovsky R.N., 1988. New records of shrimps in waters of the tropical eastern Atlantic. *Biologicheskie Nauki* (Sciences biologiques), 1: 37-41.
- Calman W.T., 1927. Report on the Crustacea Decapoda (Brachyura). Zoological Results of the Cambridge Expedition to the Suez Canal, 1924. XIII. *Transactions of the Zoological Society of London*, 22: 211-217.
- Campbell B.M., 1969. The genus *Eucrate* (Crustacea: Goneplacidae) in Eastern Australia and the Indo-West Pacific. *Memoirs of the Queensland Museum*, Brisbane, 15 (3): 117-140.
- Campos N.H., Türkay M., 1989. On a record of *Charybdis helleri* from the Caribbean coast of Colombia (Crustacea: Decapoda: Portunidae). *Senckenbergiana maritima*, Frankfurt, 20 (3/4): 119-123.
- Cannicci S., Garcia L., Galil B.S., 2006. Racing across the Mediterranean – first record of *Percnon gibbesi* (Crustacea: Decapoda: Grapsidae) in Greece. *JMBA2*, 5300: 2 pp. (e-journal).
- Carmin J., 1955. Some additional notes on the fauna of the tidal zone of our Mediterranean and Red Sea. *Bulletin of the Independent Biological Laboratory kfar Malal*, 11 (1): 1-4.
- Cartes J.E., Abelló P., Torres, P., 2000. The occurrence of *Hymenopenaeus debilis* (Decapoda: Aristeidae: Solenocerinae) in Mediterranean waters: a case of pseudopopulations of Atlantic origin? *Journal of the Marine Biological Association of the United Kingdom*, 80 (3): 549-550.
- Catta J.D., 1876a. Note sur quelques crustacés erratiques. *Annales des Sciences naturelles, Zoologie et Paleontologie Biologie animale*, Paris, (6), 3 (1): 1-33.
- Cavaliere A., Berdar A., 1977. Presenza di *Callinectes sapidus* Rathbun (Decapoda Brachyura) nello Stretto di Messina. *Bollettino di Pesca Piscicoltura e*

Idrobiologia, (n.s.) 30 (2): 315-322.

- Ceyhan T., Akyol O., 2008. A new record of the Red Sea pebble crab, *Ixa monodi* Holthuis & Gottlieb, 1956 (Crustacea: Decapoda) from the Aegean Coast of Turkey. *Aquatic Invasions*, 3 (2): 232-234. (e-journal)
- Chace F.A. jr., 1976. Shrimps of the pasiphaeid genus *Leptocheila* with descriptions of three new species (Crustacea:Decapoda: Caridea). *Smithsonian Contributions to Zoology*, 222: i-iii, 1-51.
- Chace F.A. jr., 1988. The Caridean Shrimps (Crustacea: Decapoda) of the Albatross Philippine Expedition, 1907-1910, Part 5: Family Alpheidae. *Smithsonian Contributions to Zoology*, 466: i-vi, 1-99.
- Chace F.A. jr., Bruce A.J., 1993. The Caridean Shrimps (Crustacea:Decapoda) of the Albatross Philippine Expedition, 1907-1910, Part 6: Superfamily Palaemonoidea. *Smithsonian Contributions to Zoology*, 543: i-vii, 1-152.
- Chan T.-Y., 1998. Shrimps and prawns. In Carpenter, K. and Niem V. (eds.), FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 2: 851-971.
- Chaouachi B., Dos Santos A., BenHassine O.K., 1998. Occurrence of the shrimp *Metapenaeus monoceros* (Fabricius, 1798) in the Gulf of Gabes: a first record for Tunisian coasts. IV International Crustacean Congress, Amsterdam, July 20-24 1998 (129): 80.
- Chopra B., 1931. Further notes on Crustacea Decapoda in the Indian Museum. II. On some Decapod Crustacea found in the cloaca of Holothurians. *Records of the Indian Museum*, Calcutta, 33: 303-324.
- Christiansen M.E., 1969. Crustacea Decapoda Brachyura. *Marine Invertebrates of Scandinavia*, Oslo, 2: 1-143.
- CIESM, 2000. The eastern Mediterranean climatic transient: its origin, evolution and impact on the ecosystems. *CIESM Workshop Series*, 10: 80 p. <www.ciesm.org/publications/Trieste.pdf>
- Clark P.F., Rainbow Ph.S., Robbins R.S., Smith B., Yeomans W.E., Thomas M., Dobson G., 1998. The alien Chinese mitten crab, *Eriocheir sinensis* (Crustacea: Decapoda:Brachyura) in the Thames Catchment. *Journal of the marine biological Association of the United Kingdom*, 78 (4): 1215-1221.
- Corsini Foka M, Kondilatos G., 2006. On the occurrence of two brachyurans, *Myra sugranulata* and *Herbestia condylata*, on Rhodes Island (SE Aegean Sea). *Crustaceana*, Leiden, 79 (2): 167-174.
- Corsini Foka M, Maries P., Santorinios E., 2006. First record of the exotic brachyuran *Leucosia signata* from Rhodes. Proceedings of the 8th Hellenic Symposium on Oceanography and Fisheries, (Thessalonikis, 4-8 June, 2006). (electronic format).
- Corsini-Foka M., Kondilatos G., Economidis P.S., 2004. Occurrence of the Lessepsian species *Portunus pelagicus* (Crustacea) and *Apogon nigripinnis* (Pisces) in the marine area of Rhodes Island. *Mediterranean Marine Science*, 5 (1): 83-89.
- Crocetta F., 2006. First record of *Portunus pelagicus* (Linnaeus, 1758) (Decapoda, Brachyura, Portunidae) in the northern Tyrrhenian Sea. *Crustaceana*, Leiden, 79 (9): 1145-1148.
- Crocetta F., Colamonaco G., 2008. *Percnon gibbesi* (Crustacea: Decapoda) and *Aplysia dactylomela* (Mollusca: Gastropoda) in the Taranto Gulf (Ionian Sea): new populations incoming. *JMBA2*, 6465: 4 pp. [e-journal].
- Crosnier A., 1962. Crustacés Décapodes Portunidae. *Faune de Madagascar*, 16: 1-154.
- Crosnier A., 1965. Crustacés Décapodes Grapsidae et Ocypodidae. *Faune de*

Madagascar, 18: 1-143.

- Crosnier A., 1991. Crustacea Decapoda: Les *Metapenaeopsis* indo-ouest-pacifiques sans appareil stridulant (Penaeidae). Deuxième partie. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 9. *Mémoires du Muséum national d'Histoire naturelle*, Paris, série A, zoologie, 152: 155-297.
- Crosnier A., 1994. Crustacea Decapoda: Les *Metapenaeopsis* indo-ouest-pacifiques avec un appareil stridulant (Penaeidae). In: A.Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 12. *Mémoires d Muséum national d'Histoire naturelle*, Paris, série A, zoologie, 161: 255-337.
- Crosnier A., Forest J., 1973. Les crevettes profondes de l'Atlantique oriental tropical. *Faune Tropicale*, ORSTOM, Paris, 19: 1-409.
- Dai A.-Y., Yang S.-L., 1991. Crabs of the China Seas. China Ocean Press, Beijing, Springer-Verlag, Heidelberg, pp. 1-682.
- Darboux G., Stephan P., 1908. Capture de Palinuriens longicornes dans le Golfe de Marseille. *Feuille des Jeunes Naturalistes*, Paris, (4) 38ème année, 445: 16-17.
- Dawson E.W., 1987. A key to the world species of *Plagusia* (Crustacea: Brachyura), with a new record of *P. depressa tuberculata* Lamarck from New Zealand. *National Museum of New Zealand Records*, 3(4): 37-45.
- Demetropoulos A., Neocleous D., 1969. The fishes and crustaceans of Cyprus. *Fisheries Bulletin, Fisheries Department*, Cyprus, 1: 1-21.
- Demir M., 1959. Notes on the littoral Penaeidae Bate (Crustacea Decapoda) of the Turkish waters. *Proceedings and Technical papers, General Fisheries Council for the Mediterranean*, 5: 177-181.
- Desmarest A.G., 1825. Considérations générales sur la classe des Crustacés et descriptions des espèces de ces animaux qui vivent dans la mer, sur les côtes ou dans les eaux douces de la France. F.G.Levrault, Paris et Strasbourg, i-xix, 1-446.
- Dowidar N.M., Ramadan S.E., 1976. Family Penaeidae from the Mediterranean waters of Egypt. *Thalassia Jugoslavica*, 8 (1) [1972]: 121-126.
- Drobisheva S.S., 1970. Study of the biology of shrimps in the south-east part of the Mediterranean sea with the aim to determine the perspective of fishery. Fishery research in the Red Sea and Mediterranean sea. Ministry of Fisheries of the USSR, Azov-Black Sea, 30: 174-208.
- Duris Z., 1987. Indo-West Pacific element in the Mediterranean fauna (based on study of the Decapod Crustaceans). *Okeanologiya*, 27 (4): 643-648.
- Dworschak P.C., Pervesler P., 2002. *Alpheus migrans* Lewinsohn & Holthuis, 1978 (Decapoda, Caridea, Alpheidae): burrow morphology and first record from the Red Sea. *Crustaceana*, Leiden. 75(3-4): 351-357.
- El-Hawary M.M.A., 1983. Red Sea crustaceans of economic importance. *Bulletin of the Institute of Oceanography and Fisheries*, Cairo, 9: 331-334.
- Elkrwe H.M., Elhawaj H.M., Galil B.S., Abdallah A., 2008. The first record of *Percnon gibbesi* (H. Milne Edwards, 1853) (Crustacea: Decapoda: Plagusiidae) from the southern rim of the Mediterranean. *Aquatic Invasions*, 3(2): 235-237 (e-journal).
- Emmerson W.D., 1993. A comparison between decapod species common to both Mediterranean and Southern African waters. *Bios (Macedonia, Greece), Scientific annals of the school of biology*, 1 (1): 177-191.
- Eno N.C., Clark R.A., Sanderson W.G. (eds), 1997. Non native marine species in British waters: a review and directory. Joint Nature Conservation Committee, Peterborough, U.K., 1-152 p.
- Enzenross L., Enzenross R., 1990. Über das Vorkommen von *Callinectes sapidus*

- Rathbun an der türkischen Agais- und Mittelmeerküste. *Jahreshefte der Gesellschaft für Naturkunde in Württemberg*, Stuttgart, 145: 286-289.
- Enzenross L., Enzenross R., Niederhöfer H.J., 1990. Wissenschaftlich interessante Funde aus der Sammlung Enzenross (Marine Invertebraten). *Jahreshefte der Gesellschaft für Naturkunde in Württemberg*, Stuttgart, 145: 283-294.
- Enzenross R., Enzenross L., 1995. Erstnachweise indopazifischer Brachyura (Crustacea: Decapoda) von der türkischen Mittelmeerküste. *Stuttgarter Beiträge zur Naturkunde*, Serie A (Biologie), 521: 1-4.
- Enzenross R., Enzenross L., 2000. Nichtmediterrane Crustacea-Arten in tunesischen Gewässern (Decapoda, Macrura und Brachyura). *Crustaceana*, Leiden, 73 (2): 187-195.
- Enzenross R., Enzenross L., Bingel, F., 1997. Occurrence of the Blue Crab, *Callinectes sapidus* (Rathbun, 1896) (Crustacea, Brachyura) on the Turkish Mediterranean and the adjacent Aegean Coast and its size distribution in the Bay of Iskendrun. *Turkish Journal of Zoology*, 21: 113-122.
- Enzenross R., Enzenross L., El Abed A., 1997. Neue Vorkommen von nichtmediterranen Crustacea-Arten in tunesischen Gewässern (Decapoda, Macrura). *Rapports et documents de l'institut national des sciences et technologies de la mer*, INST-M - Salammbô, 1: 1-13.
- Enzenrou R., Enzenrou L., Kocatas A.[sic], 1992. Lessepsian migration : Two Indo-Pacific crab species (Crustacea, Decapoda) found on the Turkish Mediterranean coast. *Journal of Faculty of Science Ege University*, Izmir, (Series B), 14(2): 3-10.
- Fabbri R., Landi L., 1999. Nuove segnalazioni di molluschi, crostacei e pesci esotici in Emilia-Romagna e prima segnalazione di *Corbicula fluminea* (O.F. Müller, 1774) in Italia. *Quaderno di Studi e Notizie di Storia Naturale della Romagna*, 12: 9-20.
- Falciai L., 2003 First record of *Menaethius monoceros* (Latireille, 1825) (Decapoda, Majidae) in the central Tyrrhenian Sea. *Crustaceana*, Leiden, 75 (10): 1279-1283.
- Falciai L., Minervini R., 1992. Guida dei Crostacei Decapodi d'Europa. Franco Muzzio Editore, Padova, 282 p.
- Falciai L., Minervini R., 1996. Guide des homards, crabes, langoustes, crevettes et autres crustacés décapodes d'Europe. Delachaux et Niestlé SA éditeurs, Lausanne, : 287 p.
- Fishelson L., 2000. Marine animal assemblages along the littoral of the Israeli Mediterranean seashore: the Red-Mediterranean Seas communities of species. *Italian Journal of Zoology*, 67(4): 393-415.
- Forest J., 1963. Sur deux *Scyllarus* de l'Atlantique tropical africain: *S. paradoxus* Miers et *S. posteli* sp. nov. Remarques sur les *Scyllarus* de l'Atlantique oriental. *Bulletin de l'Institut Océanographique*, Monaco, 60 (1259): 1-20.
- Forest J., 1974. Les Dromies de l'Atlantique Oriental. Description de *Sternodromia* gen. nov. et de deux espèces nouvelles du genre *Dromia* Weber (Crustacea Decapoda Dromiidae). *Annales de l'Institut océanographique*, Paris, 50 (1): 71-123.
- Forest J., Guinot D., 1956. Sur une collection de Crustacés Décapodes et Stomatopodes des mers tunisiennes. *Bulletin de la Station Océanographique de Salammbô*, 53: 24-43.
- Forest J., Guinot D., 1958. Sur une collection de crustacés décapodes des côtes d'Israël. *Bulletin Sea Fisheries Research Station*, Haifa, 15: 4-16.
- Fox H.M., 1924. The migration of a Red Sea crab through the Suez Canal. *Nature*,

- London, 113: 714-715.
- Fox H.M., 1926. General part. Zoological results of the Cambridgeexpedition to the Suez Canal, 1924. I. *Transactions of the Zoological Society of London*, 22: 1-64.
- Fox H.M., 1927a. Appendix to theReport on the Crustacea Decapoda (Brachyura). Zoological Results of theCambridge Expedition to the Suez Canal, 1924. *Transactions of theZoological Society of London*, 22: 217-219.
- Fox H.M., 1927b. Appendix II. to the Report on the Crustacea Decapoda(Natantia and Anomura). Zoological Results of the Cambridge Expedition tothe Suez Canal, 1924. *Transactions of the Zoological Society ofLondon*, 22: 229-230.
- Franceschini G., Andaloro F., Diviacco G., 1993. La macrofauna dei fondi strascicabili della Sicilia Orientale. *Il Naturalista Siciliano*, (4), 17 (3-4): 311-324.
- Fransen C.H.J.M., 1994. Marine palaemonoid shrimps of the NetherlandsSeychelles Expedition 1992-1993. *Zoologische Verhandelingen*, Leiden, 297: 85-152
- Freitas A.J. de, 1987. The Penaeoidea of Southeast Africa. III. The family Penaeidae (excluding Genus *Penaeus*). *Investigational Reports of the oceanographic Research Institute Durban*, 58: 1-104.
- Foglia C., 1972. Segnalazione di alcuni crostacei nuovi o rari per l'Adriatico. *Quaderni del Laboratorio di Tecnologia della Pesca*, Ancona, 1 (3): 43-52.
- Foglia C., 1975. The occurrence of *Automate branchialis* Holthuis and Gottlieb (Decapoda, Alpheidae) in the Adriatic sea. *Crustaceana*, Leiden, 29 (3): 308-309.
- Foglia C., 1979. Segnalazione di alcuni Crostacei Decapodi nuovi per la fauna adriatica. *Quaderni del Laboratorio di Tecnologia della Pesca*, Ancona, 2 (4): 191-196.
- Foglia C., 1992. Stomatopod Crustacea of the Ligurian Sea. *Doriana. Supplemento agli Annali del Museo Civico di Storia Naturale "G.Doria"*, Genova, 6 (275): 1-10.
- Foglia C., Manning R.B., 1989.Checklist and key to adult Mediterranean stomatopod Crustacea. In: E. A. Ferrero (ed.), Biology of Stomatopods. Selected Symposia and Monographs, U.Z.I. (Unione Zool. Ital.), 3: 265-273.
- Foglia C., Speranza S., 1993. First record of *Dyspanopeus sayi* (Smith, 1869) in the Mediterranean Sea (Crustacea: Decapoda: Xanthidae). *Quaderni dell'Istituto Ricerche Pesca Marittima*, Ancona, 5 (2): 163-166.
- Gab-Alla A.A.-F.A., Hartnoll R.G., Ghobashy A.F., Mohammed S., 1990. Biology of penaeid prawns in the SuezCanal lakes. *Marine Biology*, 107 (3): 417-426.
- Gaillande D. de, 1970. Peuplements benthiques de l'herbier de *Posidonia oceanica* (Delile), de la pelouse à *Caulerpa prolifera* Lamouroux et du large du golfe de Gabès. *Tethys*, 2 (2): 373-384.
- Galil B.S., 1986. Red Sea decapods along the Mediterranean coast of Israel: ecology and distribution, In: Dubinsky Z., Steinberger Y. (eds.), Environmental quality and ecosystem stability, vol. IIIA/B. Ramat-Gan,Bar-Ilan University Press, pp. 179-183.
- Galil B.S., 1989. Bathymetric distribution and habitat preferences of lessepsian migrant Decapoda alongthe Mediterranean coast of Israel, or: Do decapods have cold feet? Proceedings of the 4th Conference Environmental quality and ecosystemstability, Jerusalem, Israel, pp. 147-153.
- Galil B.S., 1992. Eritrean Decapods inthe Levant. Biogeography in motion. *Bulletin de l'Institut Océanographique*, Monaco, n° spécial 9: 115-123.
- Galil B.S., 1993. The Pola centennial- Decapod crustaceans of the Levant bathyal. Proceedings of the First European Crustacean Conference, Paris, August 31 -

September 5, 1992, (abstracts), P. Noël coord., éditions du Muséum National d'Histoire Naturelle, Paris, pp. 53-54.

- Galil B.S., 1994. Lessepsian migration - Biological invasion of the Mediterranean. In Boudouresque C.F., Briand F., Nolan C. (eds.), Introduced species in European Coastal Waters. European Commission, D.G. XIII, Luxembourg, pp. 63-66.
- Galil B.S., 1997. Two lessepsian migrant decapods new to the coast of Israel. *Crustaceana*, Leiden, 70 (1): 111-114.
- Galil B.S., 1999. *Melicertus hathor* Burkenroad, 1959 – a Red Sea penaeid prawn new to the Mediterranean. *Crustaceana*, Leiden, 72 (9): 1226-1228.
- Galil B.S., 2000a. A sea under siege - alien species in the Mediterranean. *Biological Invasions*, 2: 177-186.
- Galil B.S., 2000b. *Halimed etyche* (Herbst, 1801) (Decapoda; Xanthoidea; Halimedinae) from the Mediterranean coast of Israel, with a review of the genus. *Journal of crustacean Biology*, 20 (special number 2): 325-331.
- Galil B.S., 2001. A revision of *Myra* Leach, 1817 (Crustacea: Decapoda: Leucosioidea). *Zoologische Mededelingen*, Leiden, 75 (24): 409-446.
- Galil B.S., 2005. *Dorippe quadrident* (Crustacea: Decapoda: Dorippidae) – first record of an alien dorippid in the Mediterranean Sea. *Crustaceana*, Leiden, 78 (4): 497-498.
- Galil B.S., Clark P.F., 1994. A revision of the genus *Matuta* Weber, 1795 (Crustacea: Brachyura: Calappidae). *Zoologische Verhandelingen*, Leiden, 294: 1-55.
- Galil B.S., Clark P.F., 1996. A revision of *Cryptosoma* Brullé, 1837 and *Cycloes* de Haan, 1837 (Crustacea: Brachyura: Calappidae). *Zoological Journal of the Linnean Society*, 117: 175-204.
- Galil B.S., Clark P.F., Ng P.K.L., Falciai L., 2006. *Actumnus globulus* (Crustacea: Decapoda: Pilumnidae) – another Erythrean pilumnid in the Mediterranean Sea. *JMBA2*, 5307: 4 pp. (e-journal).
- Galil B.S., Golani D., 1990. Two new migrant decapods from the eastern Mediterranean. *Crustaceana*, Leiden, 58 (3): 229-236.
- Galil B.S., Innocenti G., 1999. Notes on the population structure of the portunid crab *Charybdis longicollis* Leene, parasitized by the Rhizocephalan *Heterosaccus dollfusi* Boschma, off the Mediterranean coast of Israel. *Bulletin of Marine Science*, University of Miami, 64 (3): 451-463.
- Galil B.S., Kevrekidis K., 2002. Exotic decapods and stomatopod off Rhodes Island (Greece) and the Eastern Mediterranean Transient. *Crustaceana*, Leiden, 75 (7): 925-930.
- Galil B.S., Lewinsohn C., 1979. A numerical analysis of zonation and faunal composition of the epibenthic macrofauna of the southern Mediterranean coast of Israel. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'Exploration scientifique de la Mer Méditerranée*, Monaco, 25-26 (4): 271-272.
- Galil B.S., Lewinsohn C., 1981. Macrofaunal Communities of the Eastern Mediterranean Continental Shelf. *P. S. Z. N. I. Marine Ecology*, 2 (4): 343-352.
- Galil B.S., Lützen J., 1995. Biological observations on *Heterosaccus dollfusi* Boschma (Cirripedia: Rhizocephala), a parasite of *Charybdis longicollis* Leene (Decapoda: Brachyura), a Lessepsian migrant to the Mediterranean. *Journal of crustacean Biology*, 15 (4): 659-670.
- Galil B.S., Pisanty S., Spanier E., Tom M., 1989. The Indo-Pacific lobster *Panulirus ornatus* (Fabricius, 1798) (Crustacea: Decapoda): a new Lessepsian migrant to the eastern Mediterranean. *Israel Journal of Zoology*, 35 (4): 241-243.

- Galil, B.S., 2004. *Carupa tenuipes* Dana, 1851: An Indo-Pacific swimming crab new to the Mediterranean (Decapoda, Brachyura, Portunidae). *Crustaceana*, Leiden, 77 (2): 249-251.
- Galil, B.S., 2006. A rare record of *Hyastenus hilgendorfi* (Crustacea: Decapoda: Majidae) from the Levant. *Aquatic Invasions*, 1 (4): 284-285 (e-journal).
- García L., Reviriego B., 2000. Presencia del cranc subtropical *Percnon gibbesi* (H. Milneedwards, 1853) (Crustacea, Decapoda, Grapsidae a les Illes Balears. Primeracita a la Mediterrània occidental. *Bulleti de la Societat d'Història natural de Balears*, 43: 81-89.
- García Raso J.E., 1982. Familia Scyllaridae Latreille 1825 (Crustacea, Decapoda) en la Región Sur-mediterránea española. *Boletín de la Asociacion Española de Entomología*, 6 (1): 73-78.
- García Raso J.E., 1987. Carideos ibéricos (Crustacea, Decapoda): síntesis. *Miscellánea Zoológica*, Barcelona, 11: 113-120.
- García Raso J.E., 1993. New record of other African species of Crustacea Decapoda, *Cycloes cristata* (Brullé) from European and Mediterranean waters. *Bios (Macedonia, Greece), Scientific annals of the school of biology*, 1 (1): 215-221.
- García Raso J.E., Salas Casanova M.C., 1985. New record of the species *Processa macrodactyla* Holthuis, 1952 (Decapoda, Caridea) from Spanish waters. *Crustaceana*, Leiden, 49 (1): 88-91.
- Geldiay R., 1969. A report on the collection of Natantia (Crustacea, Decapoda) along the coast of Turkey from the Eastern Mediterranean to the vicinity of Izmir. *Scientific Reports Faculty of Science*, Ege University, 74: 1-17.
- Geldiay R., Kocatas A., 1968. The species of Penaeidae family from the Mediterranean Coast of Turkey. *Scientific Reports Faculty of Sciences, Ege University*, 58: 1-15.
- Geldiay R., Kocatas A., 1969. Stomatopods of Turkey: *Squilla mantis* (Linnaeus) and *Squilla massavenis* Kossman. *Scientific Reports Faculty of Science*, Ege University, 71: 1-11.
- Geldiay R., Kocatas A., 1972. A report on the occurrence of Penaeidae (Decapoda, Crustacea) along the coast of Turkey from Eastern Mediterranean to the vicinity of Izmir, as a result of migration and its factors. 17e Congres International de Zoologie, (Monte Carlo, Sept. 1972) : 7 pp.
- Gennaio R., Scordella G., Pastore M., 2006. Occurrence of blue crab *Callinectes sapidus* (Rathbun, 1896) (Crustacea, Brachyura), in the Ugento ponds area (Lecce, Italy). *Thalassia salentina*, 29: 29-39.
- George C.J., Athanasiou V., 1965. The occurrence of the American blue crab, *Callinectes sapidus* Rathbun, in the coastal waters of Lebanon. *Doriana. Supplemento agli Annali del Museo Civico di Storia Naturale "G.Doria"*, Genova, 4 (160): 1-3.
- Georgiadis C., Georgiadis G., 1974. Zur Kenntnis des Crustacea Decapoda des Golfs von Thessaloniki. *Crustaceana*, Leiden, 26 (3): 239-248.
- Ghisotti F., 1966. Il *Callinectes sapidus* Rathbun nel Mediterraneo (Crustacea Decapoda). *Natura, Società Italiana di Scienze Naturali, Museo Civico di Storia Naturale di Milano*, 57 (3): 177-180.
- Gilat E., 1963. The macrobenthic animal communities of the Israeli continental shelf in the Mediterranean. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'Exploration scientifique de la Mer Méditerranée*, 17(2): 103-106.
- Gilat E., 1964. The macrobenthic invertebrate communities on the Mediterranean

- continental shelf of Israel. *Bulletin de l'Institut Océanographique*, Monaco, 62 (1290): 1-46.
- Gilat E., 1974. Macrofauna communities off the Sinai Peninsula in the Mediterranean. Proceedings of the fifth Scientific conference of the Israel Ecological Society, (Tel Aviv, 8-9 May 1974) : B1-B15.
- Giordani Soika A., 1951. Il *Neptunus pelagicus* (L.) nell'alto Adriatico. *Natura. Società Italiana di Scienze Naturali*, Museo Civico di Storia Naturale di Milano, 42 (1-2): 18-20.
- Godeaux J., (ed.), 1990. A propos des migrations lessepsiennes. *Bulletin de l'Institut Océanographique*, Monaco, n° spécial 7: 1-152.
- Goeke G. D., 1985. Decapoda Crustacea: Raninidae. *Mémoires du Muséum national d'Histoire naturelle*, Paris, série A zoologie, 133: 205-228.
- Gokoglu M., Kaya Y., 2006. First record of *Melicertus hathor* (Penaeidae) from the Gulf of Antalya (Mediterranean Sea). *JMBA2*, 5177: 1 p.(e-journal).
- Golani D., Ben-Tuvia A., Galil B.S., 1983. Feeding habits of the Suez Canal migrant squirrelfish, *Sargocentron rubrum*, in the Mediterranean Sea. *Israel Journal of Zoology*, 32: 194-204.
- Golani D., Galil B.S., 1991. Trophic relationships of colonizing and indigenous goatfishes (Mullidae) in the eastern Mediterranean with special emphasis on decapod crustaceans. *Hydrobiologia*, Dordrecht, 218 (1): 27-33.
- Gómez O., Martínez-Iglesias J.C., 1990. Reciente hallazgo de la especie indopacífica *Charybdis helleri* (A. Milne-Edwards, 1867) (Crustacea: Decapoda: Portunidae) en aguas cubanas. *Caribbean Journal of Science*, 26 (1/2): 70-72.
- Gonçalves F., Ribeiro R., 1993. Population of *Rhithropanopeus harrisii* of the Mondego estuary (Portugal): effects of salinity and temperature on larval development. Proceedings of the First European Crustacean Conference, Paris, August 31 - September 5, 1992, (abstracts), P. Noël coord., Editions du Muséum National d'Histoire Naturelle, Paris, p. 57.
- Gonçalves F., Ribeiro R., Soares A.M.V.M., 1995. *Rhithropanopeus harrisii* (Gould), an american crab in the estuary of the Mondego River, Portugal. *Journal of crustacean Biology*, 15 (4): 756-762.
- Gorgy S., 1966. Les pêches et le milieu marin dans le secteur méditerranéen de la République Arabe Unie. *Revue des Travaux de l'Institut des pêches maritimes*, 30 (1): 25-91.
- Gottlieb E., 1953. Decapod in the collection of the Sea Fisheries Research Station, Caesarea, Israel. *Bulletin of the Research Council of Israel*, 2: 440-441.
- Griffin D.J.G., 1968. *Hyastenus hilgendorfi* de Man a majid spider crab new to Australia. *Australian Journal of Zoology*, 15 (1): 103-106.
- Griffin D.J.G., 1974. Spider crabs (Crustacea: Brachyura: Majidae) from the International Indian Ocean Expedition 1963-64. *Smithsonian Contributions to Zoology*, 182: i-iv, 1-35.
- Griffin D.J.G., 1976. Spider crabs of the family Majidae (Crustacea: Brachyura) from the Philippine Islands. *Journal of Natural History*, London, 10: 179-222.
- Griffin D.J.G., Tranter H.A., 1986. The Decapoda Brachyura of the Siboga Expedition. Part VIII. Majidae. *Siboga Expeditie Monographie*, 39, (c4): 1-335.
- Grippa G. B., Udekem d'Acoz C. d', 1996. The genus *Periclimenes* Costa, 1844 in the Mediterranean Sea and the Northeastern Atlantic Ocean: review of the species and description of *Periclimenes sagittifer aegylios* subsp. nov. (Crustacea, Decapoda, Caridea, Pontoniinae). *Atti della Società Italiana di Scienze Naturali e del Museo civico di Storia naturale di Milano*, 135 (2): 401-412.

- Grippa G., 1982. First record of *Leucosia signata* Paulson, 1875 from the South-Western Turkish coast (Decapoda, Brachyura, Leucosidae). *Quaderni del Laboratorio di Tecnologia della Pesca*, Ancona, 3 (2-5): 335-338.
- Gruvel A., 1928. Répartition géographique de quelques crustacés comestibles sur les côtes d'Égypte et de Syrie. *Comptes rendus de la société de biogéographie*, 5 (39): 45-46.
- Gruvel A., 1929. De l'influence du percement du Canal de Suez sur la faune marine des côtes de Syrie. *Comptes Rendus de l'Académie des Sciences*, Paris, 188: 1687-1699.
- Gruvel A., 1930a. Les richesses marines et fluviales de la Syrie. Exploitation actuelle-Avenir. *Revue Scientifique*, Paris, 68: 33-41.
- Gruvel A., 1930b. Sur les principales zones chalutables de la Méditerranée orientale. Carte de pêche du Golfe d'Alexandrette. *Comptes Rendus de l'Académie des Sciences*, Paris, 190: 477-479.
- Gruvel A., 1931. Partie générale et économique. In: Gruvel A. (ed.), Les états de Syrie. Richesses marines et fluviales. Exploitation actuelle - Avenir. *Bibliothèque de la faune des colonies françaises*, Paris, 3: 1-453.
- Gruvel A., 1936. Contribution à l'étude de la bionomie générale et de l'exploitation de la faune du Canal de Suez. *Mémoires de l'Institut d'Égypte*, 29: i-vii, 1-255.
- Guérin-Méneville F.E., 1832. Crustacés. Expédition scientifique de Morée, Vol. 3. Paris, F.F. Levrault. 170 p.
- Gurney R., 1927a. Appendix I. to the Report on the Crustacea Decapoda (Natantia and Anomura). Zoological Results of the Cambridge Expedition to the Suez Canal, 1924. *Transactions of the Zoological Society of London*, 22: 228-229.
- Gurney R., 1927b. Report on the Larvae of the Crustacea Decapoda. Zoological Results of the Cambridge Expedition to the Suez Canal, 1924. XV. *Transactions of the Zoological Society of London*, 22: 231-286.
- Gurney R., 1927c. Report on the Species of *Hippolyte*. Zoological Results of the Cambridge Expedition to the Suez Canal 1924. XXVI. *Transactions of the Zoological Society of London*, 22: 391-397.
- Hadjichristophorou M., Argyrou M., Demetropoulos A., Bianchi T., 1997. A species list of the sublittoral soft-bottom macrobenthos of Cyprus. *Acta Adriatica*, Split, 38 (1): 3-32.
- Hansen H. J., 1919. The Sergestidae of the Siboga Expedition. *Siboga Expeditie Monographie*, 18: 1-65.
- Hasan H., Zeini A., Noël P.Y., 2008. The marine decapod crustacea of the area of Lattakia, Syria. *Crustaceana*, Leiden, 81 (5): 513-536.
- Hasan H., Noël P., 2008. First record of *Thalamita indistincta* Apel & Spiridonov, 1998 (Decapoda, Brachyura, Portunidae) in the Mediterranean. *Crustaceana*, Leiden, 81 (2): 247-252.
- Holthuis L.B., 1952. Crustacés Décapodes Macrures. *Expédition océanographique belge dans les eaux côtières africaines de l'Atlantique Sud (1948-1949). Résultats scientifiques*, 3 (2): 1-88.
- Holthuis L.B., 1956. Notes on a collection of Crustacea Decapoda from the Great Bitter Lake, Egypt, with a list of species of Decapoda known from the Suez Canal. *Zoologische Mededelingen*, Leiden, 34 (22): 301-330.
- Holthuis L.B., 1958. Hippidea and Brachyura (Dromiacea, Oxystomata and Grapsidea). Crustacea Decapoda from the northern Red Sea (Gulf of Aqaba and Sinai Peninsula). Contributions to the knowledge of the Red Sea. No. 9. *Bulletin of the Sea Fisheries Research Station Haifa*, 17: 41-54.

- Holthuis L.B., 1961. Report on a collection of Crustacea Decapoda and Stomatopoda from Turkey and the Balkans. *Zoologische Verhandelingen*, Leiden, 47: 1-67.
- Holthuis L.B., 1969. Enkele interessante Nederlandse crustacea. *Bijdragen Faunistiek Nederland*, 1: 34-48.
- Holthuis L.B., 1977. The Grapsidae, Geocarcinidae and Palicidae (Crustacea: Decapoda: Brachyura) of the Red Sea. *Israel Journal of Zoology*, 26: 141-192.
- Holthuis L.B., 1980. FAO species catalogue. Vol. 1. Shrimps and prawns of the world. An annotated catalogue of species of interest to fisheries. *F.A.O. Fisheries Synopsis*, Rome, 125, vol.1: i-xvii, 1-271.
- Holthuis L.B., 1987a. Crevettes. In: Fischer W., Schneider M., Bauchot M.-L., (eds), Fiches FAO d'identification des espèces pour les besoins de la pêche. Méditerranée et Mer Noire. Zone de pêche 37. Révision I. Volume I. Végétaux et invertébrés, pp. 189-292.
- Holthuis L.B., 1987b. Homards, Langoustines, Langoustes et Cigales. In: Fischer W., Schneider M., Bauchot M.-L., (eds), Fiches FAO d'identification des espèces pour les besoins de la pêche. Méditerranée et Mer Noire. Zone de pêche 37. Révision I. Volume I. Végétaux et invertébrés, pp. 293-319.
- Holthuis L.B., 1987c. Vrais crabes. In: Fischer W., Schneider M., Bauchot M.-L., (eds), Fiches FAO d'identification des espèces pour les besoins de la pêche. Méditerranée et Mer Noire. Zone de pêche 37. Révision I. Volume I. Végétaux et invertébrés, pp. 321-367.
- Holthuis L.B., 1991. FAO species catalogue. Vol. 13. Marine lobsters of the world. An annotated and illustrated catalogue of species of interest to fisheries known to date. *F.A.O. Fisheries Synopsis*, Rome, 125, vol. 13: i-viii, 1-292.
- Holthuis L.B., Gottlieb E., 1955. The occurrence of the American Blue Crab, *Callinectes sapidus* Rathbun, in Israel waters. *Bulletin of the Research Council of Israel*, section B, Zoology, 5B (2): 154-156.
- Holthuis L.B., Gottlieb E., 1956. Two interesting crabs (Crustacea, Decapoda, Brachyura) from Mersin Bay, S. E. Turkey. *Zoologische Mededelingen*, Leiden, 34 (21): 287-299.
- Holthuis L.B., Gottlieb E., 1958. An annotated list of the decapod crustacea of the Mediterranean coast of Israel, with an appendix listing the Decapoda of the Eastern Mediterranean. *Bulletin of the Research Council of Israel*, section B, Zoology, 7B (1-2): 1-126.
- Ingle R.W., 1963. Crustacea Stomatopoda from the Red Sea and Gulf of Aden. *Bulletin Sea Fisheries Research Station*, Haifa, 33: 1-69.
- Ingle R.W., 1980. British crabs. British Museum (Natural History)/Oxford University Press. 222 pp.
- Ingle R.W., 1997. Crayfishes, lobsters and crabs of Europe: an illustrated guide to common and traded species. Chapman & Hall, University Press, Cambridge. 281 pp.
- Innocenti G., Vannini M., Galil B.S., 1998. Notes on the behaviour of the portunid crab *Charybdis longicollis* Leeene, parasitized by the Rhizocephalan *Heterosaccus dollfusi* Boschma. *Journal of Natural History*, London, 32: 1577-1585.
- Kalopissis J., Kalopissis V., 1984. *Thalamita admete* Herbst dans les eaux du golfe Saronique. *Biologia Gallo-Hellenica*, 11 (1): 133-136.
- Katağan T., Kocataş A., 2002. New localities for *Automate branchialis* Holthuis and Gottlieb, 1958 (Decapoda, Alphaeidae) in the Mediterranean Sea. *Crustaceana*, Leiden, 74 (11): 1387-1391.
- Katağan T., Kocataş A., Zengin M., Ateş A.S., 2004. An Indo-Pacific Stomatopod from

- the Sea of Marmara: *Erugosquilla massavensis* (Kossmann, 1880). *Crustaceana*, Leiden, 77 (3): 381-383.
- Kevrekidis K., Galil B.S., Kevrekidis T., 1998. Three Lessepsian migrant penaeids (Decapoda) in Rodos Island (Greece). *Crustaceana*, Leiden, 71 (4): 474-478.
- Kevrekidis K., Kevrekidis T., 1996a. The occurrence of *Penaeus japonicus* Bate (Crustacea, Penaeidea) in the Aegean Sea. *7th international congress on the zoogeography and ecology of Greece and adjacent regions*, Athens, (Abstract book): p. 34.
- Kevrekidis K., Kevrekidis T., 1996b. The occurrence of *Penaeus japonicus* Bate (Crustacea, Penaeidea) in the Aegean Sea. *Crustaceana*, Leiden, 69 (7): 925-929.
- Kevrekidis K., Kevrekidis T., Psaltopoulou H., 1996. First experiences on acclimatization and rearing of *Penaeus japonicus* Bate (Crustacea, Penaeidea) in Lagos Lagoon, Aegean Sea. *Oebalia*, 22: 91-98.
- Kinzelbach R.K., 1965. Die blaue Schwimmkrabbe (*Callinectes sapidus*), ein Neubürger im Mittelmeer. *Natur und Museum*, Frankfurt, 95 (7): 293-296.
- Kirimitzoglou I, Kitsos MS, Thessalou-Legaki M, Tselepidis A., Koukouras A., 2006. Investigation of the progress and possible expansion of the limits of the Lessepsian migratory current regarding Decapoda (Crustacea). Poster, 10th International Congress on the Zoogeography and Ecology of Greece and adjacent regions. Patras, Greece, 2006.
- Kirkegaard I., Tuma D.J., Walker R.H., 1970. Synopsis of biological data on the Banana prawn *Penaeus merguiensis* de Man, 1888. *CSIRO Fisheries and Oceanography, Fisheries Synopsis*, 8: 42 pp.
- Kocataş A, Katagan T., Ates A.S., 2002. Lessepsian invasion decapod crustaceans at Turkish seas. In: Öztürk B., Basusta N. (eds.), Workshop on Lessepsian Migrations. Turkish Marine Research Foundation, Publication 9: 56-58.
- Kocataş A., 1981a. Liste préliminaire et répartition des crustacés décapodes des eaux turques. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'exploration scientifique de la mer Méditerranée*, Monaco, 27 (2): 161-162.
- Kocataş A., 1981b. Two new Stomatopod species for the Turkish fauna: *Nannosquilloides occultus* (Giesbrecht) and *Meiosquilla desmaresti* (Risso). *Crustaceana*, Leiden, 40 (2): 213-215.
- Kocataş A., Katagan T., 1983. Crustacean fauna of Turkish coastal lagoons. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'exploration scientifique de la mer Méditerranée*, Monaco, 28 (6): 231-233.
- Kocataş A., Katagan T., 1995. On Stomatopoda from Turkey and with the first record of *Rissoides pallidus* for the Turkish fauna. *Crustaceana*, Leiden, 68 (5): 649-652.
- Kocataş A., Katagan T., Benli H. A., 2001. Contribution to the knowledge of the crustacean fauna of Cyprus. *Israel Journal of Zoology*, 47: 147-160.
- Koukouras A., Dounas C., Türkay M., Voultsiadou-Koukoura E., 1992. Decapod crustacean fauna of the Aegean Sea: new information, check list, affinities. *Senckenbergiana maritima*, Frankfurt, 22 (3/6): 217-244.
- Koukouras A., Türkay M., 1996. A new species of *Periclimenes* from the Aegean Sea (Crustacea: Decapoda:Palaemonidae). *Senckenbergiana biologica*, Frankfurt, 76(1/2): 135-143.
- Krukenberg C.F.W., 1888. Die Durchfluthung des Isthmus von Suez in chorologischer, hydrographischer und historischer Beziehung. Wissenschaftliche Ergebnisse meiner Reise vom Etang de Berre über Marseille und Triest nach Suakim und Massaua. II. Theil. *Vergleichend- physiologische Studien. Experimentelle*

- Untersuchungen*, ser. 2, 5 (1): 1-156.
- Ksiunin, G., Galil, B.S., 2003. A new record of an Indo-West Pacific crab (Crustacea: Decapoda) from the Mediterranean coast of Israel. *Israel Journal of Zoology*, 49 (4): 316-317.
- Kucheruk N.V., Kuznetsov A.P., Rybnikov P.V., Fayes S., 1999. Composition of bottom communities and quantitative distribution of macrozoobenthos in the Syrian coastal zone. In: Malanotte-Rizzoli P., Eremeev V.N., (eds.). The Eastern Mediterranean as a laboratory basin for the assessment of contrasting ecosystems. Kluwer Academic publishers, The Netherlands, pp. 159-168.
- Kumulu M., Erdogan O.T., Aktas M., Gocer M., 2002. A new shrimp record for the Turkish Seas: *Melicertus hathor* (Burkenroad, 1959) (Penaeidae: Crustacea). *Israel Journal of Zoology*, 48 (3): 246-247.
- Kuznetsov A.P., Fayez S., Kucheruk N.V., Rybnikov A.V., 1993. Benthic fauna of the near-Syrian region in the Eastern Mediterranean. *Izvestiya Rossiiskoi Akademii Nauk, seriya Biologicheskaya*, 1993 (4): 600-612.
- Lagardère J.-P., 1970. Les crevettes des côtes du Maroc. *Travaux de l'Institut scientifique chérifien*, Tanger, 36: 1-140.
- Leene J.E., 1940. Biological results of the Snellius Expedition. VI. The Portunidae of the Snellius Expedition (Part 1). *Temminikia*, 5: 163-168.
- Lemaitre R., 1995. *Charybdi shellerii* (Milne Edwards, 1867) a non indigenous portunid crab (Crustacea: Decapoda: Brachyura) discovered in the Indian River lagoon system of Florida. *Proceedings of the Biological Society of Washington*, 108 (4): 643-648.
- Leppäkoski E., Gollasch S., Olenin S. (Eds), 2002. Invasive aquatic species of Europe – distribution, impacts and management. Kluwer Academic Publishers, Dordrecht. 583 pp.
- Lewinsohn Ch., 1976. *Petrolisthes digitalis* (Heller, 1862) (Decapoda Porcellanidae) ein Synonym von *Petrolisthes armatus* (Gibbes, 1850). *Crustaceana*, Leiden, 31 (1): 66-70.
- Lewinsohn Ch., 1977. Die Ocypodidae des Roten Meeres (Crustacea Decapoda, Brachyura). *Zoologische Verhandelingen*, Leiden, 152: 43-84.
- Lewinsohn Ch., Galil B., 1982. Notes on species of *Alpheus* (Crustacea: Decapoda) from the Mediterranean coast of Israel. *Quaderni del Laboratorio di Tecnologia della Pesca*, Ancona, 3 (2-5): 207-210.
- Lewinsohn Ch., Holthuis L.B., 1964. New records of Decapod Crustacea from the Mediterranean coast of Israel and the Eastern Mediterranean. *Zoologische Mededelingen*, Leiden, 40 (8): 45-63.
- Lewinsohn Ch., Holthuis L.B., 1978. On a new species of *Alpheus* (Crustacea, Decapoda, Natantia) from the Eastern Mediterranean. *Zoologische Mededelingen*, Leiden, 53 (7): 75-82.
- Lewinsohn Ch., Holthuis L.B., 1986. The Crustacea Decapoda of Cyprus. *Zoologische Verhandelingen*, Leiden, 230: 1-64.
- Lewinsohn Ch., Manning R.B., 1980. Stomatopod Crustacea from the Eastern Mediterranean. *Smithsonian Contributions to Zoology*, 305: i-iii, 1-22.
- Lipkin Y., Safriel U., 1971. Intertidal zonation on rocky shores at Mikhamoret (Mediterranean, Israel). *Journal of ecology*, 59: 1-30.
- Lumare F., Casolino G., 1986. First record of *Penaeus japonicus* Bate, 1888 (Decapoda Natantia) along Italian coasts. *Oebalia*, (2), 13: 179-183.
- Man J.-G. de, 1887. Report on the Podophthalmous Crustacea of the Mergui Archipelago, collected for the Trustees of the Indian Museum, Calcutta by Dr.

- John Anderson, F.R.S., Superintendent of the Museum. Part I. *The Journal of the Linnean Society, Zoology*, 22 (137): 65-128.
- Manning R.B., 1977. A monograph of the West African stomatopod Crustacea. *Atlantide Report*, 12: 25-181.
- Manning R.B., 1995. Stomatopod Crustacea of Vietnam: the Legacy of Raoul Serène. *Crustacean Research*, special number 4: i-viii, 1-339.
- Manning R.B., Holthuis L.B., 1981. West African Brachyuran crabs (Crustacea: Decapoda). *Smithsonian Contributions to Zoology*, 306: i-xii, 1-379.
- Mantelatto F.L.M., Dias L.L., 1999. Extension of the known distribution of *Charybdis helleri* (A. Milne Edwards, 1867) (Decapoda, Portunidae) along the western tropical south Atlantic. *Crustaceana*, Leiden, 72 (6): 617-620.
- Mantelatto F.L.M., Garcia R.B., 2001. Biological aspects of the nonindigenous portunid crab *Charybdis hellerii* in the western tropical south Atlantic. *Bulletin of Marine Science*, University of Miami, 68 (3): 469-477.
- Martin J.W., Abele L., 1986. Notes on male pleopod morphology in the Brachyuran crab family Panopeidae Ortmann, 1893 *sensu* Guinot (1978) (Decapoda). *Crustaceana*, Leiden, 50 (2): 182-198.
- McDermott J.J., 1998. The western Pacific brachyuran *Hemigrapsus sanguineus* (Grapsidae) in its new habitat along the Atlantic coast of the United States: geographic distribution and ecology. *ICES journal of Marine Science*, 55 (2): 289-298.
- McLaughlin P. A., 1980. Comparative morphology of recent crustacea. W. H. Freeman, San Francisco, 177 p.
- McLay C. L., 1993. Crustacea Decapoda: the sponge crabs (Dromiidae) of New Caledonia and the Philippines with a review of the genera. In: A. Crosnier (ed.), *Résultats des Campagnes MUSORSTOM*, Volume 10. *Mémoires du Muséum national d'Histoire naturelle*, Paris, série A zoologie, 156: 111-251.
- Melo G.A.S., de, 1996. Manual de identificação dos Brachyura (Caranguejos e siris) do litora brasileiro. Éditions Pléiade: São Paulo, Brazil, 603 p.
- Miquel J. C., 1982. Le genre *Metapenaeus* (Crustacea, Penaeidae): taxonomie, biologie et pêches mondiales. *Zoologische Verhandelingen*, Leiden, 195: 1-137.
- Missaoui H., Zaouali J., 1995. Apparition de nouveaux crustacés dans les pêches crevettières du Golfe de Gabès, Tunisie. *Marine Life*, 5 (2): 27-34.
- Mizzan L., 1993. Presence of swimming crabs of the genus *Callinectes* (Stimpson) (Decapoda, Portunidae) in the Venice Lagoon (North Adriatic Sea - Italy): first record of *Callinectes danae* Smith in European waters. *Bollettino del Museo civico di Storia naturale di Venezia*, 42 [1991]: 31-43.
- Mizzan L., 1995. Notes on presence and diffusion of *Dyspanopeus say* (Smith, 1869) (Crustacea, Decapoda, Xanthidae) in the Venitian lagoon. *Bollettino del Museo civico di Storia naturale di Venezia*, 44 [1993]: 121-129.
- Mizzan L., 1999. Le specie alloctone del macrozoobenthos della Laguna di Venezia: il punto della situazione. *Bollettino del Museo civico di Storia naturale di Venezia*, 49 [1998]: 145-177.
- Mizzan L., 2005. *Rhitropanopeus harrisii* (Gould, 1841) (Crustacea, Decapoda Panopeidae) e *Eriocheir sinensis* H. Milne Edwards, 1854 (Crustacea, Decapoda Grapsidae): due nuovi granchi esotici in laguna di Venezia. *Bollettino del Museo Civico di Storia Naturale di Venezia*, 56: 89-96.
- Mizzan L., Zanella L., 1996. First record of *Rhitropanopeus harrisii* (Gould, 1841) (Crustacea, Decapoda, Xanthidae) in the Italian waters. *Bollettino del Museo civico di Storia naturale di Venezia*, 46 [1995]: 109-122.

- Monod Th., 1930. Über einige indo-pazifische Decapoden der Meeresfauna Syriens. *Zoologischer Anzeiger*, Leipzig, 92 (5/6): 135-141.
- Monod Th., 1931. Crustacés de Syrie. In: A. Gruvel (ed.), Les États de Syrie. Richesses marines et fluviales. Exploitation actuelle - Avenir. *Bibliothèque de la faune des colonies françaises*, Paris, 3: 397-435.
- Monod Th., 1932. Crustacés exotiques en Méditerranée. *La Terre et la Vie - Revue d'Ecologie*, 2: 65-73.
- Monod Th., 1937. Crustacés. Mission A. Gruvel dans le Canal de Suez. I. *Mémoires de l'Institut d'Égypte*, 34: 1-19.
- Monod Th., 1938. Decapoda Brachyura. Mission Robert Ph. Dollfus en Égypte. VIII. *Mémoires de l'Institut d'Égypte*, 37: 91-162.
- Monod Th., 1956. Hippidea et Brachyura ouest-africains. *Mémoire de l'Institut Français d'Afrique Noire*, 45: 1-674.
- Müller G. J., 1986. Review of the hitherto recorded species of Crustacea Decapoda from the Bosphorus, the Sea of Marmara and the Dardanelles. *Cercetări Marine*, I.R.C.M. Constanta, 19: 109-130.
- Müller H.G., 1993. Catalogue of the Indo-Pacific Pontoniine Shrimps. Wissenschaftlicher Verlag, Laboratory for Tropical Ecosystems, Wetzlar, Germany, pp. 1-159.
- Müller, C., 2001. Erstnachweis der Flachkrabbe *Percnon gibbesi* (Crustacea: Decapoda: Grapsidae) für die Balearischen Inseln. *Senckenbergiana Maritima*, Frankfurt, 31 (1): 83-89.
- Neumann V., Spiridonov V.A., 1999. Shallow water crabs from the Western Indian Ocean: Portunoidea and Xanthoidea excluding Pilumnidae (Crustacea, Decapoda, Brachyura). *Tropical Zoology*, 12: 9-66.
- Nobili G., 1904. Diagnoses préliminaires de vingt-huit espèces nouvelles de Stomatopodes et Décapodes Macroures de la Mer Rouge. *Bulletin du Muséum d'Histoire naturelle*, Paris, 10 (5): 228-238.
- Noël P.Y., 1992. Clé préliminaire d'identification des Crustacea Decapoda de France et des principales autres espèces d'Europe. *Collection Patrimoines Naturels*, Muséum National d'Histoire Naturelle, Paris, 9: 1-145.
- Noël P.Y., 2001. Le crabe américain *Rhithropanopeus harrisii* étend-t-il actuellement son aire de distribution en Méditerranée? *Rapport du 36e Congrès de la CIESM*, Monaco, 36: 407.
- Oksnebjerg, B., Enzenross, R., Enzenross, L., 1997. First record of Rhizocephala (Crustacea: Cirripedia) from Turkish waters, with notes on Lessepsian migration. *Stuttgarter Beiträge zur Naturkunde*, (A, Biologie), 557: 1-7.
- Onofri V, Dulcic J., Conides A., Matic-Skoko S., Glamuzina B., 2008. The occurrence of the blue crab, *Callinectes sapidus* Rathbun, 1896 (Decapoda, Brachyura, Portunidae) in the eastern Adriatic (Croatian coast). *Crustaceana*, Leiden, 81 (4): 403-409
- Özcan T, Bakir K., Kocataş A., 2007. On the range extension of two exotic decapod crustacean along the Levant Sea coast of Turkey. *Rapports et Procès-Verbaux des Réunions* - Commission internationale pour l'exploration scientifique de la mer Méditerranée 38: 564.
- Özcan T., Ateş A.S., Katağan T., 2008. Expanding distribution and occurrence of the Indo-Pacific Stomatopod, *Erugosquilla massavensis* (Kossmann, 1880) on the Aegean coast of Turkey. *Mediterranean Marine Science*, 9 (2): 117-120.
- Özcan T., Galil B.S., Bakır K., Katağan T., 2006. The first record of the banana prawn *Fenneropenaeus merguiensis* (De Man, 1888) (Crustacea: Decapoda: Penaeidae)

- from the Mediterranean Sea. *Aquatic Invasions*, 1 (4): 286-288. (e-journal)
- Özcan T., Katağan T., Ateş A.S., 2008. A new record of the lessepsian shrimp, *Ogyrides mjobergi* (Balss, 1921) (Decapoda, Ogyrididae) from the Levantine coast of Turkey. *Crustaceana*, Leiden, 81 (6): 755-758.
- Özel I., 1985. Stomatopod larvae of the Aegean Sea. *Rapports et Procès verbaux des Réunions - Commission internationale pour l'exploration scientifique de la mer Méditerranée*, Monaco, 29 (9): 255-256.
- Pastore M., 1976. Decapoda Crustacea in the Gulf of Taranto and the Gulf of Catania with a discussion of a new species of Dromiidae (Decapoda: Brachyura) in the Mediterranean Sea. *Thalassia Jugoslavica*, 8 (1) [1972]: 105-117.
- Pastore M., 1996. The genus *Calappa* in the Ionian Sea. *Oebalia*, 21 [1995]: 187-190.
- Pastore M., Denitto F., 2002. Occurrence of *Herbstia nitida* Manning and Holthuis, 1981 in the Otranto Channel. Book of abstracts, 8th Colloquium Crustacea Decapoda Mediterranean. p. 80.
- Pérez Farfante I., Kensley B., 1997. Penaeoid and sergestoid shrimps and prawns of the world. Keys and diagnoses for the families and genera. *Mémoires du Muséum national d'Histoire naturelle*, Paris, 175: 1-233.
- Pesta O., 1918. Die Decapodenfauna der Adria. Versuch einer Monographie. Franz Deuticke Verlag, Wien. 500 pp, 1 pl.
- Petit D., 1973. Données sur la morphologie et la croissance chez le genre *Lucifer* (Decapodes Sergestidae): *L. intermedius*, *L. penicillifer*, *L. hansenii*, *L. chacei*, *L. faxonii*. *Cahiers ORSTOM. Série Océanographie*, 11 (2): 207-227.
- Petit G., 1960. Le "crabe chinois" est parvenu en Méditerranée. *Vie et Milieu*, 11 (1): 133-136.
- Petit G., Mizoule R., 1973. En douze ans le "Crabe chinois" n'a pu réussir son implantation dans les lagunes du Languedoc. *Vie et Milieu*, série C, 23 (1) [1972]: 181-186.
- Pipitone C., Badalamenti F., Sparrow A., 2001. Contribution to the knowledge of *Percnon gibbesi* (Decapoda, Grapsidae), an exotic species spreading rapidly in Sicilian waters. *Crustaceana*, Leiden, 74 (10): 1009-1017.
- Por F. D., 1971. One hundred years of Suez Canal - a century of Lessepsian migration: retrospective and viewpoints. *Systematic Zoology*, 20 (2): 138-159.
- Por F.D., 1978. Lessepsian migration - the influx of Red Sea biota into the Mediterranean by way of the Suez Canal. *Ecological studies*, 23: 1-238.
- Por F.D., 1990. Lessepsian migrations. An appraisal and new data. *Bulletin de l'Institut Océanographique*, Monaco, 7 (numéro spécial): 1-10.
- Por F.D., Dimentman C., 1989. The legacy of Thethys. An aquatic biogeography of the Levant. *Monographiae biologicae*, Kluwer, Dordrecht, vol. 63: i-ix, 1-214.
- Por F.D., Steinitz H., Ferber I., Aron W., 1972. The biota of the Red Sea and the Eastern Mediterranean (1967-1972): A survey of the marine life of Israel and surroundings. *Israel Journal of Zoology*, 21: 459-523.
- Pozuelo M., Arias A., Rodriguez A., Pettenghi J., 1976. Presencia de *Scyllarus posteli* Forest en la Bahía de Cádiz (región sudatlántica española). *Investigación Pesquera*, Barcelona, 40 (1): 85-93.
- Pretzmann G., 1987. A contribution to a historic analysis of Mediterranean freshwater decapods chorology. *Investigación Pesquera*, Barcelona, 51 (suppl. 1): 17-25.
- Quéro J. C., Vayne J.J. (eds), 1998. Les fruits de la mer et plantes marines des Pêches Françaises. Delachaux et Niestlé SA éditeurs, Neuchâtel – Paris, 256 pp.
- Ramadan S.E., Dowidar N.M., 1976. Brachyura (Decapoda Crustacea) from the Mediterranean waters of Egypt. *Thalassia Jugoslavica*, 8 (1) [1972]: 127-139.

- Relini M., Orsi L., Puccio V., Azzurro E., 2000. The exotic crab *Percnon gibbesi* (H. MilneEdwards, 1853) (Decapoda, Grapsidae) in the Central Mediterranean. *Scientia marina*, Barcelona, 64 (3): 337-340.
- Relini Orsi L., Mori M., 1979. Due reperti mediterranei di *Thalamita gloriensis* Crosnier, 1962 (Crustacea Decapoda: Portunidae). *Oebalia*, 5: 7-13.
- Riedl R., 1983. Fauna und Flora des Mittelmeeres. Paul Parey, Hamburg, 836 p.
- Rosecchi E., Noël P.Y., Crivelli A., 1998. Fresh and brackish water decapod Crustacea of the Camargue (Rhône delta, France). *Crustaceana*, Leiden, 71 (3): 280-298.
- Ruiz G. M., Carlton J.T., Grosholtz E.D., Hines A.H., 1997. Global invasions of marine and estuarine habitats by non-indigenous species: mechanisms, extent and consequences. *American Zoologist*, 37: 621-632.
- Russo G.F., Villani G., 2005. Spreading of the allochthonous species *Percnon gibbesi* in the Central Tyrrhenian Sea. *Biologia Marina Mediterranea*, 12 (1): 329-330.
- Sacchi C.F., Occhipinti Ambrogi A., Sconfietti R., 1989. Les lagunes nord-adriatiques: un environnement conservateur ouvert aux nouveautés. *Bulletin de la Société zoologique de France*, Paris, 144 (4): 47-60.
- Sakai K., 1999. J.F.W. Herbst-collection of decapod Crustacea of the Berlin Zoological Museum, with remarks on certain species. *Naturalists*, Tokushima Biological Laboratory, Shikoku University, 6: 1-45.
- Sakai T., 1965. The Crabs of Sagami Bay. Collected by His Majesty the Emperor of Japan. Maruzen Co., Ltd., Tokyo: i-xvi, 1-206 (English text) + 1-92 (Japanese Text) + 1-32, 1-100 pls.
- Sakai T., 1976. Crabs of Japan and the adjacent seas. 3 Vols. Kodansha Ltd., Tokyo, 773 pp., 251 pls.
- Saker F., 2002. A contribution to the study of the species composition of the benthos in the waters of Lattakia. *Journal of the Union of Arab Biologists*, Cairo 18(A): 287-310.
- Schembri P.J., Lanfranco E., 1984. Marine Brachyura (Crustacea: Decapoda: Brachyura) from the Maltese Islands and surrounding waters (Central Mediterranean). *Centro*, Malta, 1 (1): 21-39.
- Schubart C.D., 2003. The East Asian shore crab *Hemigrapsus sanguineus* (Brachyura: Varunidae) in the Mediterranean Sea: an independent human-mediated introduction. *Scientia Marina*, Barcelona, 67 (2): 195-200.
- Schubart C.D., Ng P.K.L., 2000. On the identities of the rafting crabs *Cancer depressus* Fabricius, 1775, *Cancer squamosus* Herbst, 1790, *Plagusia immaculata* Lamarck, 1818, and *Plagusia tuberculata* Lamarck, 1818 (Crustacea: Decapoda: Brachyura: Plagusiidae). *The Raffles Bulletin of Zoology*, 48 (2): 327-336.
- Sciberras M., Schembri P.J., 2007. A critical review of records of alien marine species from the Maltese Islands and surrounding waters (Central Mediterranean). *Mediterranean Marine Science*, 8 (1): 41-66.
- Serbetis C., 1959. Un nouveau crustacé comestible en Mer Egée *Callinectes sapidus* Rath. (Decapoda Brach.). *Proceedings and technical papers General Fisheries Council for the Mediterranean*, 5: 505-507.
- Serène R., 1984. Crustacés Décapodes Brachyoures de l'Océan Indien occidental et de la Mer Rouge: Xanthoidea: Xanthidae et Trapeziidae. Avec un addendum par Crosnier A.: Carpiliidae et Menippidae. *Faune Tropicale*, ORSTOM, Paris, 24: 1-400.
- Shakman E., Kinzelbach R., 2007. First record of the mantis shrimp, *Erugosquilla masavensis* (Kossmann, 1880), a Lessepsian migrant, in the coastal waters of Libya (Crustacea: Stomatopoda). *Zoology in the Middle East*, 40: 109-111.

- Shiber J.G., 1976. Penaeid Shrimp from the coast of Lebanon. *Cercetări Marine*, I.R.C.M. Constanta, 9: 127-139.
- Shiber J.G., 1981. Brachyurans from Lebanese waters. *Bulletin of Marine Science*, University of Miami, 31 (4): 864-875.
- Shlagman A., Lewinsohn Ch., Tom M., 1986. Aspects of the reproductive activity of *Penaeus semisulcatus* de Haan along the Southeastern coast of the Mediterranean. *P. S. Z. N. I. : Marine Ecology*, 7 (1): 15-22.
- Snovsky Z., Galil B., 1990. The occurrence of the american blue crab, *Callinectes sapidus* Rathbun, in the sea of Galilee. *Israeli Journal of Aquaculture - Bamidgeh*, 42 (2): 62-63.
- Spanier E., Galil B. S., 1991. Lessepsian migration: a continuous biogeographical process. *Endeavour*, (n. ser.), 15 (3): 102-106.
- Steinitz W., 1929. Die Wanderung indopazifischer Arten ins Mittelmeer seit Beginn der Quartärperiode. *Internationale Revue der gesamten Hydrobiologie und Hydrographie*, 22: 1-90.
- Steinitz W., 1932. Eine neue Garnelenart: *Metapenaeus palaestinensis*. *Zoologischer Anzeiger*, Leipzig, 100: 151-164.
- Steinitz W., 1933a. Beiträge zur Kenntnis der Küstenfauna Palästinas. II. *Pubblicazioni della Stazione zoologica di Napoli*, 13: 143-154.
- Steinitz W., 1933b. Nachtrag und Berichtigung zu meinem Beitrag "Eine neue Garnelenart: *Metapenaeus palaestinensis*". *Zoologischer Anzeiger*, Leipzig, 102: 338-339.
- Steinitz W., 1967. A tentative list of immigrants via the Suez Canal. *Israel Journal of Zoology*, 16: 166-169.
- Stephensen K., 1945. The Brachyura of the Iranian Gulf. With an appendix: The male pleopoda of the Brachyura. *Danish scientific Investigations in Iran*, 4: 57-237.
- Stephenson W., 1972. An annotated checklist and key to the Indo-West-Pacific swimming crabs (Crustacea: Decapoda:Portunidae). *Royal Society of New Zealand Bulletin*, 10: 1-64.
- Stephenson W., Hudson J.J., Campbell B., 1957. The Australian portunids (Crustacea, Portunidae). II. The genus *Charybdis*. *Australian Journal of Marine and Freshwater Research*, 8 (4): 491-507.
- Steuer A., 1936. Cumacea und Stomatopoda von Alexandrien in Ägypten. *Notizen des Deutsch-Italienischen Institutes für Meeresbiologie in Rovigno d'Istria*, 21: 1-19.
- Steuer A., 1938. Cumacea, Stomatopoda, Leptostraca. The fishery grounds near Alexandria, 16. *Hydrobiology and Fisheries Directorate, Notes and Memoirs*, Cairo, 26: 1-16.
- Stevcic Z., Galil B.S., 1994. Checklist of the Mediterranean brachyuran crabs. *Acta Adriatica*, Split, 34 (1/2): 65-76.
- Stossich M., 1877. Sulla geologia e zoologia dell'isola di Pelagosa. *Bollettino della Società Adriatica di Scienze Naturali in Trieste*, 3: 184-192.
- Tan C.G.S., 1996. Leucosiidae of the Albatross Expedition to the Philippines, 1907-1910 (Crustacea: Brachyura: Decapoda). *Journal of Natural History*, 30: 1021-1058.
- Taramelli E., 1957. Appunti sui Crostacei decapodi di Anzio. *Natura. Società Italiana di Scienze Naturali*, Museo Civico di Storia Naturale di Milano, 48 (2-3): 99-104.
- Thessalou-Legaki M., Zenetos A., Kambouroglou V., Corsini-Foka M., Kouraklis P., Dounas C., Nicolaïdou A., 2006. The establishment of the invasive crab *Percnon gibbesi* (H. Milne Edwards, 1853) (Crustacea: Decapoda: Grapsidae) in Greek

- waters. *Aquatic Invasions*, 1 (3): 133-136. (e-journal).
- Tirmizi N.M., Bashir Q., 1973. Shore and offshore penaeid prawns of Northern Arabian Sea. Department of publications Karachi University, i-vii, 1-71.
- Tirmizi N.M., Kazmi M.A., 1969. The occurrence of *Alpheus inopinatus* Holthuis & Gottlieb, 1958, in the Arabian Sea (Decapoda, Alpheidae). *Crustaceana*, Leiden, 16 (1): 99-100.
- Tom M., Galil B.S., 1991. The macrobenthic associations of Haifa Bay, Mediterranean coast of Israel. *Marine Ecology*, Berlin, 12 (1): 75-86.
- Tom M., Lewinsohn Ch., 1983. Aspects of the benthic life cycle of *Penaeus (Melicertus) japonicus* Bate (Crustacea Decapoda) along the Southeastern coast of the Mediterranean. *Fisheries Research*, 2: 89-101.
- Tom M., Shlagman A., Lewinsohn Ch., 1984. The benthic phase of the life cycle of *Penaeus semisulcatus* de Haan (Crustacea Decapoda) along the Southeastern coast of the Mediterranean. *P. S. Z. N. I.: Marine Ecology*, 5 (3): 229-241.
- Torchio M., 1967. Il *Callinectes sapidus* Rathbun nelle acque siciliane (Crustacea, Decapoda). *Natura. Società Italiana di Scienze Naturali, Museo Civico di Storia Naturale di Milano*, 58 (1): 81.
- Torchio M., 1968. Osservazioni e considerazioni sugli spostamenti di alcuni malacostraci in Mediterraneo. *Natura. Società Italiana di Scienze Naturali, Museo Civico di Storia Naturale di Milano*, 59 (2): 61-74 + 1 pl.
- Tortonese E., 1951. I caratteri biologici del Mediterraneo orientale e i problemi relativi. *Attualità Zoologiche*, Torino, 7: 207-251.
- Tortonese E., 1965. La comparsa di *Callinectes sapidus* Rathb. (Decapoda Brachyura) nel mar Ligure. *Doriana. Supplemento agli Annali del Museo Civico di Storia Naturale "G. Doria"*, Genova, 4 (163): 1-3.
- Tournier H., 1972. Conditions d'acclimatation des crevettes *Penaeus kerathurus* et *P. japonicus* dans les eaux du littoral languedocien. *Science et Pêche, Bulletin de l'Institut des Pêches Maritimes*, 213: 1-13.
- Tuncern S., Bilgin S., 2008. First record of *Callinectes sapidus* Rathbun, 1896 (Crustacea: Decapoda: Brachyura) in the Dardanelles, Canakkale, Turkey. *Aquatic Invasions*, 3(4): 469. (e-journal).
- Türkay M., 1986. Crustacea Decapoda Reptantia der Tiefsee des Roten Meeres. *Senckenbergiana maritima*, Frankfurt, 18 (3/6): 123-185.
- Türkay M., 1989. Subtropische und tropische Elemente in der Fauna des östlichen Mittelmeeres. *Natur und Museum*, Frankfurt, 119 (6): 183-189.
- Udekem d'Acoz C. d', 1994. Contribution à la connaissance des Crustacés Décapodes Helléniques 1:Brachyura. *Bios (Macedonia, Greece), Scientific annals of the school of biology*, 1 (2) [1993]: 9-47.
- Udekem d'Acoz C. d', 1996. Description of *Periclimenes wirtzi* sp. nov. a new pontoniine shrimp from Madeira and the Azores, with a checklist of Eastern Atlantic and Mediterranean Pontoniinae (Crustacea, Decapoda, Caridea). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Biologie*, 66: 133-149.
- Udekem d'Acoz C. d', 1999. Inventaire et distribution des crustacés décapodes de l'Atlantique nord-oriental, de la Méditerranée et des eaux continentales adjacentes au nord de 25°N. *Collection Patrimoines Naturels*, Museum National d'Histoire Naturelle, Paris, 40: 383 p.
- Udekem d'Acoz C. d', Duris Z., 1996. First records of *Merhippolyte ancistrota* Crosnier & Forest, 1973 in Moroccan Atlantic waters and in the Mediterranean Sea (Decapoda, Merhippolytidae). *Crustaceana*, Leiden, 69 (7): 890-897.
- Vaccarella R., Marano G., Petrucci T., 1986. La pesca a strascico nel basso Adriatico:

- Crostatei. *Nova Thalassia*, Trieste, 8 (3 Suppl.): 663-664.
- Vannini M., Innocenti G., 2000. Research on the coast of Somalia. Portunidae (Crustacea Brachyura). *Tropical Zoology*, 13: 251-298.
- Via Boada L., 1980. Ocypodoidea (Crustacés Décapodes) du Cénozoïque méditerranéen. Origine et évolution de cette superfamille. *Annales de Paléontologie (invertébrés)*, 66 (1): 51-66.
- Wadie W.F., Abdel-Razek F.A., 1985. The effect of damming on the shrimp population in the south-eastern part of the Mediterranean Sea. *Fisheries Research*, 3 (4): 323-335.
- Wee D.P.C., Ng P.K.L., 1995. Swimming crabs of the genera *Charybdis* de Haan, 1833, and *Thalamita* Latreille, 1829 (Crustacea: Decapoda: Brachyura: Portunidae) from Peninsular Malaysia and Singapore. *The Raffles Bulletin of Zoology*, Singapore, Supplement n° 1: 1-128.
- Williams A.B., 1984. Shrimps, lobsters and crabs of the Atlantic coast of the Eastern United States, Maine to Florida. Smithsonian Institution Press, Washington, pp. i-xviii, 1-550.
- Williamson D.I., 1967. On a collection of planktonic Decapoda and Stomatopoda (Crustacea) from the Mediterranean coast of Israel. *Bulletin Sea Fisheries Research Station*, Haifa, (45): 32-64.
- Wirszubski A., 1953. On the biology and biotope of the Red Mullet *Mullus barbatus* L.. *Bulletin Sea Fisheries Research Station*, Caesarea, 7: 1-20.
- Yokeş B., and Galil B.S., 2006b. Touchdown - first record of *Percnon gibbesi* (H. Milne Edwards, 1853) (Crustacea: Decapoda: Grapsidae) from the Levantine coast. *Aquatic Invasions*, 1 (3): 130-132 (e-journal).
- Yokeş B., Galil B.S., 2004. New record of alien decapods from the southwestern coast of Turkey. *Rapports et Procès-Verbaux des Réunions*, Commission internationale pour l'exploration scientifique de la mer Méditerranée, 37: 556.
- Yokeş B., Galil S.B., 2006a. New records of alien decapods (Crustacea) from the Mediterranean coast of Turkey, with a description of a new palaemonid species. *Zoosystema*, 28 (3): 747-755.
- Yokes B., Karhan S.U., Okus E., Yuksek A., Aslan-Yilmaz A., Yilmaz I.N., Demirel N., Demir V., Galil B.S., 2007. Alien crustacean decapods from the Aegean coast of Turkey. *Aquatic Invasions*, 2 (3): 162-168 (e-journal).
- Yu H.-P., Chan T.-Y., 1986. The illustrated penaeoid prawns of Taiwan. Southern Materials Center Inc., Taipei, pp. 1-183.
- Zaitsev Yu, Öztürk B., 2001. Exotic species in the Aegean, Marmara, Black, Azov and Caspian Seas. Turkish Marine research Foundation, Istanbul: 267 pp.
- Zaouali J., 1993a. Présence d'*Eucrate crenata* dans le golfe de Gabès (Crustacea, Decapoda, Brachyura). *Marine Life*, 2 (1): 53-56.
- Zaouali J., 1993b. Les peuplements benthiques de la petite Syrte, golfe de Gabès - Tunisie. Résultats de la campagne de prospection du mois de juillet 1990. Étude préliminaire: biocénoses et thanatocénoses récentes. *Marine Life*, 3 (1-2): 47-60.
- Zaouali J., Ben Souissi J., Galil B.S., d'Udekem d'Acoz C., Ben Abdallah A., 2007. Grapsoid crabs (Crustacea: Decapoda) new to the Sirte Basin, southern Mediterranean Sea - the roles of vessel traffic and climate change. *JMBA2*, 5770: 4 pp. (e-journal).
- Zarenkov N. A., 1971. Species diversity and ecology of Red Sea Decapoda. Shelf benthos of the Red Sea. *Naukova dumka*, Kiev, 155-206.
- Zariquiey Àlvarez R., 1968. Crustáceos decápodos ibéricos. *Investigación Pesquera*, Barcelona, 32: i-xv, 1-510.

Zibrowius H., 1992. Ongoing modification of the Mediterranean marine fauna and flora by the establishment of exotic species. *Mésogée*, Bulletin du Muséum d'histoire naturelle de Marseille, 51 [1991]: 83-107.

Zibrowius H., 1994. Introduced invertebrates : examples of success and nuisance in the European Atlantic and in the Mediterranean. In: Boudouresque C.F., Briand F., Nolan C. (eds), Introduced species in European Coastal Waters. European Commission, D.G. XIII, Luxembourg, pp. 44-49.