

B I B L I O G R A P H I E C E P H A L O P O D E S

1983 - 1985

Les travaux marqués • concernent le domaine méditerranéen !

- Abalmasova, G. L., 1984. - Energy metabolism rate in Stenoteuthis pteropus St. from the Atlantic Ocean under experimental conditions. *Ecol. Mor.*, 18: 67-70.
- Adam, W., 1983. - Cephalopoda from West and South Africa. *Atlantide Rep.*, 13: 151-180.
- Aldred, R. G., Nixon, M. & Young, J. Z., 1983. - Cirrhothauma murrayi Chun, a finned octopod. *Phil. Trans. R. Soc. Lond. B*: 301 : 1-54.
- Almosa, A. L., 1982. - Bibliografía retrospectiva y descriptiva sobre pulpos y calamares (Cephalopoda). *Bol. Bibliogr.*, 3: 1-12.
- Amaratunga, T., 1981. - Biology and distribution patterns in 1980 for squid (Illex illecebrosus) on the Scotian Shelf. *NAFO SCR Doc. 81/VI/36*. Serial Nr. N318, 10 pp.
- Amaratunga, T., 1983. - The role of cephalopods in the marine ecosystem. *FAO, Fish. Tech. Rep. 231* (J. F. Caddy, ed.): 379-412.
- Ambrose, R. F., 1983. - Midden formation by octopuses : the role of biotic and abiotic factors. *Mar. Behav. Physiol.*, 10: 137-144.
- Ambrose, R. F., 1984. - Dynamics of shallow-water populations of Octopus dofleini. *Am. Malac. Bull.*, 2 : 90.
- Ambrose, R. F., 1984. - Food preferences, prey availability, and the diet of Octopus bimaculatus Verrill. *J. exp. mar. biol. ecol.*, 17: 29-44.
- Ambrose, R. F. & Nelson, B. V., 1983. - Predation by Octopus vulgaris in the Mediterranean. *Mar. Ecol.*, 4 : 251-261.
- Andreu-Moliner, E. S. & Nunez, A., 1984. - Técnica para el mantenimiento de Octopus vulgaris en acuarios marinos con circulación cerrada de agua. *Inf. Tec. Inst. Esp. Oceanogr.*, 28, 11 pp.
- Andrews, P. L. R. & Tansey, E. M., 1983. - Aminergic innervation of blood vessels of Octopus vulgaris. *Cell Tissue Res.*, 230: 229-232.
- Andrews, P. L. R. & Tansey, E. M., 1983. - The digestive tract of Octopus vulgaris: The anatomy and pharmacology of the upper tract. *J. mar. Biol. Ass. U. K.*, 63: 109-134.
- Andrews, P. L. R., Messenger, J. B. & Tansey, E. M., 1983. - The chromatic and motor effects of neurotransmitter injection in intact and brain-lesioned Octopus. *J. mar. biol. Ass. U. K.*, 63: 355-370.

- Anon., 1980. - Australian squid fishery; resource, gear and methods. Fisheries Rep. , Nr 29 (Dpt Primary Industry - Fisheries Division), 16 pp.
- Araya, H., 1983. - Fishery, biology and stock assessment of Ommastrephes bartramii in the North Pacific Ocean. Mem. Natl. Mus. Victoria, 44: 269-283.
- Arnold, J. M., 1984. - Closure of the squid cornea: a muscular basis for embryonic tissue movement. J. exp. Zool., 232: 187-195.
- Arnold, J. M., 1984. - Cephalopods. In: The Mollusca, vol. 7, Reproduction (A. S. Tompa, N. H. Verdonk & J. A. M. van den Biggelaar, eds.) Academic Press, New York and London, 419-454.
- Arnold, J. M. & Williams-Arnold, L. D., 1980. - Development of the ciliature pattern on the embryo of the squid, Loligo pealei : A scanning electron microscope study. Biol. Bull., 159: 102-116.
- Arocha, F. & Robaina, G., 1984. - First record of Octopus defilippi Vérany 1851 in Venezuelan Coastal waters. The Nautilus, 98: 25-28.
- Arocha, F. & Urosa, L. J., 1983. - Notes on two Octopoda from Venezuelan waters. Bull. Mar. Sci., 33: 941-942.
- Aronson, R. B., 1981. - The ecology of Octopus briareus in a Bahamian salt lake, M. Sc. thesis, Harvard University.
- Avdeev, G. V., 1983. - New harpacticoid copepods (Tisbidae), parasites of octopuses in the Ross Sea. Zool. Zh., 62: 1775-1785.
- Bakhayokho, M., 1983. - Biology of the cuttlefish, Sepia officinalis hierredda of the Senegalese coast. FAO, Fish Techn. Pap. 231 (J. F. Caddy, ed.): 204-263.
- Baldwin, J., 1982. - Correlations between enzyme profiles in cephalopod muscle and swimming behavior. Pacif. Sci., 36: 349-356.
- Baldwin, J., 1982. - An immunochemical study of structural and evolutionary relationships among molluscan octopine dehydrogenases. Pacif. Sci., 36: 357-363.
- Bandel, K. & Spaeth, Ch., 1983. - Beobachtungen am rezenten Nautilus. Mitt. Geol.-Pal. Inst. Univ. Hamburg, 54: 9-26.
- Bakker, V. E., Belyanina, T. N., Kashkin, N. I. & Nesis, K. N., 1982. - Mesopelagic fish and cephalopods from the four regions of the North Atlantic (from collections of the 31st study cruise of the research vessel Akademic Kurchatov). J. Ichthyol., 22: 19-25.
- Bello, G. & Motolese, G., 1983. - Occurrence of Rossia macrosoma (Delle Chiaje, 1829) (Cephalopoda, Sepiolidae) along the Adriatic coast of Puglia, Italy. Biljeske-Notes, Split, 49: 1-6.
- Bello, G. & Motolese, G., 1983. - Sepioids from the Adriatic Sea (Mollusca, Cephalopoda). Rapp. Comm. int. Mer Médit., 28 (5): 281-282.
- Bello, G., 1983. - Sepioidei del litoraledi Bari. XV. Congr. SIBM (Trieste).

- Beltramini, M., Ricchelli, F., Barel, A. & Salvato, A., 1984. - Removal of copper from Octopus vulgaris haemocyanin. Preparation of the half-apo and apo derivatives. *Biochem. J.*, 221 : 911-914.
- Bergström, B. & Summers, W. C., 1983. - Sepietta oweniana. *In: Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.). Academic Press, New York & London: 75-91.
- Best, E. M. H. & Wells, M. J., 1983. - The control of digestion in Octopus. I. The anticipatory response and the effects of severing the nerves to the gut. *Vie Milieu*, 33 (3/4): 135-142.
- Best, E. M. H. & Wells, M. J., 1984. - The control of digestion in Octopus. II. The role of internal stimuli. *Vie Milieu*, 34 (1): 1-7.
- Biagi, V., 1982. - Sul rinvenimento di un giovane esemplare di Thysanoteuthis rhombus Troschel (Cephalopoda, Teuthoidea) in acque albane. *Boll. Malac. Milano*, 18: 137-144.
- Blady, W. & Dziworski, A., 1983. - The development of jigging technique of squid fishing in the Polish fishery. *Biuletyn Mor. Inst. Rybackiego*, 14: 49-55.
- Blanchier, B. & Boucaud-Camou, E., 1984. - Lipids in the digestive gland and the gonad of immature and mature Sepia officinalis (Mollusca: Cephalopoda). *Mar. Biol.*, 80 : 39-43.
- Boletzky, S. v., 1983. Laboratory observations on a female Argonauta argo (Mollusca: Cephalopoda). *Rapp. Comm. int. Mer Médit.*, 28 (5): 289-290.
- Boletzky, S. v., 1983. - Sepia officinalis. *In: Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London, 31-52.
- Boletzky, S. v., 1983. - Sepioloa robusta. *In: Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London : 53-67.
- Boletzky, S. v. & Hanlon, R. T., 1983. - A review of the laboratory maintenance, rearing and culture of cephalopod molluscs. *Mem. Natl Mus. Victoria*, 44: 147-187.
- Bonaventura, C., Bonaventura, J. B., Miller, K. T. & Van Holde, K. E., 1981. - Hemocyanin of the chambered nautilus: structure-function relationship. *Arch. Biochem. Biophys.*, 211: 589-598.
- Boucaud-Camou, E., 1980. - Junctional structures in digestive epithelia of a cephalopod. *Tissue & Cell*, 12 : 395-404.
- Boucaud-Camou, E. & Boucher-Rodoni, R., 1983. - Feeding and digestion in cephalopods. *In: The Mollusca*, vol. 5. Physiology, part II (Saleuddin, A. S. & Wilbur, K. M., eds.). Academic Press, New York & London: 149-187.
- Boucher-Rodoni, R., 1982. - La glande digestive des céphalopodes, organe de synthèse et de sécrétion d'enzymes digestives. *Cah. Biol. Mar.*, 23 : 299-318.
- Boucher, L. M., 1983. - Aspects of reproduction in some enoploteuthid squids from Hawaiian waters. *Veliger*, 26: 106-112.

- Bourne, G. B., 1984. - Pressure-flow relationships in the perfused post-systemic circulation of the squid Loligo pealei. *Comp. Biochem. Physiol.*, 78A: 307-313.
- Boyle, P. R., 1980. - Home occupancy by male Octopus vulgaris in a large sea-water tank. *Anim. Behav.*, 28: 1123-1126.
 - Boyle, P. R., 1983. - Ventilation rate and arousal in the octopus. *J. exp. mar. biol. ecol.*, 69: 129-136.
 - Boyle, P. R., 1983. - Eledone cirrhosa. In: *Cephalopod Life cycles*, vol. I. (P. R. Boyle, ed.), Academic Press, N. Y. & London, 365-386.
- Boyle, P. R. & Knobloch, D., 1982. - The female reproductive cycle of the octopus Eledone cirrhosa (Lamarck). *J. mar. biol. Ass. U. K.*, 63: 71-83.
- Boyle, P. R. & Knobloch, D., 1984. - Male reproductive maturity in the octopus Eledone cirrhosa (Cephalopoda: Octopoda). *J. mar. biol. Ass. U. K.*, 64: 573-579.
- Boyle, P. R. & Knobloch, D., 1984. - Reproductive maturity in fresh and aquarium held Eledone cirrhosa (Cephalopoda, Octopoda). *J. mar. biol. Ass. U. K.*, 64: 581-585.
- Boyle, P. R. & Thorpe, R. S., 1984. - Optic gland enlargement and female gonad maturation in a population of the octopus Eledone cirrhosa: a multivariate analysis. *Mar. Biol.*, 79: 127-132.
- Brakoniecki, Th. F., 1984. - A full description of Loligo sanpaulensis Brakoniecki, 1984 and a redescription of Loligo gahi D'Orbigny, 1835, two species of squid (Cephalopoda, Myopsida) from the Southwest Atlantic. *Bull. Mar. Sci.*, 34: 435-448.
- Brix, O., 1983. - Giant squids may die when exposed to warm water currents. *Nature*, 303: 422-423.
- Bruckner, G., Gogala, M., Zei, M. & Biesold, D., 1984. - Histochemical detection of anionic components in the cephalopod brain. *Acta histochem.*, 74: 91-102.
- Brunetti, N. E., 1981. - Length distribution and reproductive biology of squid (Illex argentinus) in the sea off Argentina (cruise of the R/V "Shinkoi Maru" 1978-79. *Camp. Inv. Pesq. Mar Argentino "Shinkoi Maru"*, 383: 119-127.
- Brunori, M., 1981. - Kinetics of the reaction of Octopus vulgaris hemocyanin with oxygen. *J. mol. biol.*, 55: 39-48.
- Bublitz, C. G. & Nishiyama, T., 1984. - Systematics of Gonatus tinro from the southeastern Bering Sea. *Am. Malac. Bull.*, 2 : 89.
- Budelmann, B. U. & Williamson, R., 1984. - Dual sensitivity in angular acceleration in the isolated statocyst sac of the octopus. *J. Physiol.*, 353: 1-46.
 - Budelmann, B. U. & Young, J. Z., 1984. - The statocyst-oculomotor system of Octopus vulgaris: Extraocular eye muscles, eye muscle nerves, statocyst nerves and the oculomotor centre in the central nervous system. *Phil. Trans. R. Soc. Lond. B*, 306: 159-189.

- Burgess, L. A., 1982. - Four new species of squid (Oegopsida: Euploteuthidae) from the central Pacific and a redescription of adult Euploteuthis reticulata. Fish. Bull., 80: 703-734.
- Caddy, J. F., 1983. - The cephalopods: Factors relevant to their population dynamics and to the assessment and management of stocks. FAO, Fish. Tech. Pap. 231 (F. Caddy, ed.): 416-452.
- Carlson, B. A., McKibben, J. N. & De Gruy, M. V., 1984. - Telemetric investigation of vertical migration of Nautilus belauensis in Palau. Pacif. Sci., 38: 183-188.
- Carsana, A., Lavitrano, M. L. & Libonati, M., 1984. - Proteins with preferential affinity for single-stranded DNA in tissues of Octopus vulgaris. Ital. J. Biochem., 33: 88-97.
- Chai, M. & Zheng, W., 1982. - Electrophysiological studies on vision of cephalopods - ERG-determined spectral sensitivities of cuttlefish. Acta oceanol. sinica, 1: 309.
- Chandrasekaran, F., Chandrakaran, G. & Krishnan, G., 1982. - An unusual cartilage collagen from an invertebrate, Sepia officinalis. Leather Sci., 29: 19-20.
- Chichery, R., 1983. - Motor and behavioural responses obtained by electrical stimulation of peduncle and basal lobes : the control of visual-static centres on oculomotor reactions and locomotion in the cuttlefish, Sepia officinalis. Fortschr. Zool., 28: 231-240.
- Chuskin, Yu., Mari, V. A. & Valdes, E., 1980. - Cartas de distribucion y aspectos. Biología pesqueras de la Merluza argentina y Clamar en la plataforma de Nueva Escocia. Bol. tec. (Cuba, Centro Inv. Pesq.) 2: 1-20.
- Cincotta, D. E., 1983. - The visual system of the squid Loligo opalescens: functional implications of membrane structure. Diss. Abstr. int. Sect. B. Sci. Eng. USA, 43: 2523 B.
- Clarke, M. R., 1983. - Cephalopod biomass-estimation. Mem. Natl. Mus. Victoria, 44: 95-107.
- Clarke, M. R. & Prince, P. A., 1981. - Cephalopod remains in regurgitations of black-browed and grey-headed Albatrosses at South Georgia. Br. Antarct. Surv. Bull., 54: 1-7.
- Clarke, M. R. & MacLeod, N., 1982. - Cephalopod remains from the stomachs of caught in the Tasman Sea. Mem. Natl. Mus. Victoria, 42: 25-42.
- Clarke, M. R. & MacLeod, N., 1982. - Cephalopods in the diet of Elephant Seals at Signy Island, South Orkney Islands. Br. Antarct. Surv. Bull., 57: 27-31.
- Clarke, M. R. & MacLeod, N., 1982. - Cephalopod remains in the stomachs of eight Weddell Seals. Br. Antarct. Surv. Bull., 57 : 33-40.
- Clarke, M. R., Croxall, J. P. & Prince, P. A., 1981. - Cephalopod remains in regurgitations of the wandering Albatross Diomedea exulans L. at South Georgia. Br. Antarct. Surv. Bull., 54: 9-21.

- Cloney, R. A. & Brocco, St. L., 1983. - Chromatophore organs, reflector cells, iridocytes and leucophores in cephalopods. *Am. Zool.*, 23: 581-594.
- Cochran, J. K. & Landman, N. H., 1983. - Growth rate of Nautilus belauensis in nature. *Geol. Soc. Amer. Abstr.*, 15: 546.
- Coelho, M. L. & Rosenberg, A. A., 1984. - Causal analysis of some biological data for Illex illecebrosus from the Scotian shelf. *NAFO SCS*, 7: 61-66.
- Collins, D., Ward, P. & Westermann, G., 1980. - Function of cameral water in Nautilus. *Paleobiology*, 6: 168-172.
- Colmers, W. F., Hixon, R. F., Hanlon, R. T., Forsythe, J. W., Ackerson, M. V., Wiedeshold, M. W. & Hulet, W. H., 1984. - "Spinner" cephalopods: defects of statocyst suprastructures in an invertebrate analogue of the vestibular apparatus. *Cell Tissue Res.*, 236: 505-515.
- Corner, B. D. & Moore, H. T., 1981. - Field observations on the reproductive behavior of Sepia latimanus. *Micronesia*, 16: 235-260.
- Croxall, J. P. & Prince, P. A., 1982. - Caloric content of squid (Mollusca, Cephalopoda). *Br. Antarct. Surv. Bull.*, 55: 27-31.
- Dawe, E. G. & Drew, H. J., 1981. - Historical records of mature female short-finned squid (Illex illecebrosus) from the Northwest Atlantic and the first record of a mature female captured inshore of Newfoundland. *NAFO SCR Doc. 81/VI/26 Ser. Nr. N305*, 9 pp.
- Dawe, E. G., Beck, P. C. & Drew, H. J., 1981. - Distribution and biological characteristics of young short-finned squid (Illex illecebrosus) in the Northwest Atlantic, February 20 - March 11. *NAFO SCR Doc. 81/VI/23, Ser. Nr. N302*, 23 pp.
- Dawe, E. G., Mercer, M. C. & Threlfall, W., 1984. - On the stock identity of short-finned squid (Illex illecebrosus) in the Northwest Atlantic. *NAFO SCS*, 7: 77-86.
- Dawe, E. G., O'Dor, R. K., Odense, P. H. & Hurley, G. V., 1984. - Development of ageing technique for the short-finned squid (Illex illecebrosus). *NAFO SCR Doc. 84/IX/110, Ser. Nr. N907*, 24 pp.
- DeMont, M. E., 1981. - The effects of activity, temperature and mass on the metabolism of the squid, Illex illecebrosus. M. Sc. thesis, Dalhousie Univ., Halifax.
- DeMont, M. E. & O'Dor, R. K., 1981. - Metabolic scope in the squid, Illex illecebrosus (Abstr.). *Bull. Can. Soc. Zool.*, 12: 47.
- DeMont, M. E. & O'Dor, R. K., 1984. - The effects of activity, temperature and mass on the respiratory metabolism of the squid, Illex illecebrosus. *J. mar. biol. Ass. U. K.*, 64: 535-544.
- DeMont, M. E. & Gosline, J. M., 1984. - The role of mantle elasticity in squid swimming (Abstr.). *Am. Malacol. Bull.*, 2: 90.
- Dong, Zh., 1984. - The food and feeding habits of the sperm whale (Physeter catodon Linnaeus). *J. Fish. China*, 8: 327-332.

- Dong, Zh., Guo, J., Lue, R. & Li, Y., 1981. - Cephalopod larvae from the northern South China Sea. *Oceanol. Limnol. Sin.*, 12: 457-462.
- Durward, R. D., Vessey, E., O'Dor, R. K. & Amaratunga, T., 1980. - Reproduction in the squid, Illex illecebrosus: first observations in captivity and implications for the life cycle. ICNAF sel. papers, Nr. 6: 7-13.
- Dykens, J. A., Mangum, Ch. P. & Arnold, J. M., 1982. - A note on structural organisation of the cardiac myofiber in Nautilus pompilius. *Pacif. Sci.*, 36: 267-271.
- Erhardt, N. M., Jacquemin, P. S., Garcia, F. B., German Gonzales, D., Lopez, J. M. B., Ortiz, J. C. & Solis, A. N., 1983. - On the fisheries and biology of the giant squid, Dosidicus gigas, in the gulf of California, Mexico. FAO, Fish. Tech. Pap. 231 (J. F. Caddy, ed.) : 306-340.
- Establier, R. & Pascual, E., 1983. - Efecto del cadmio y el cobre sobre el desarrollo de las huevas de Sepia officinalis Linneo. *Inv. Pesq.*, 47: 143-150.
- Fedulov, P. P. & Froerman, Yu. M. , 1980. - Effects of abiotic factors on distribution of young short-finned squids (Illex illecebrosus Lesueur, 1821). NAFO SCR Doc. 80/VI/98 Ser. Nr. N153, 22 pp.
- Fields, J. H. A., 1982. - Some catalytic and regulatory properties of pyruvate kinase from the spadix and retractor muscles of Nautilus pompilius. *Pacif. Sci.*, 36: 315-324.
- Fields, J. H. A. & Hochachka, P. W., 1982. - Glucose and proline metabolism in Nautilus. *Pacif. Sci.*, 36: 337-341.
- Filippova, Yu. A. & Yuhov, V. L., 1982. - New data on the genus Alluroteuthis Odhner, 1923 (Cephalopoda, Oegopsida) (in russ.). *Antarktika, Doklady Kommis-sii*, 21: 157-168.
- Fioroni, P., 1982. - Allgemeine Aspekte der Mollusken-Entwicklung. *Zool. Jb. Anat.*, 107: 85-121.
 - Fioroni, P. & Sundermann, G. , 1983. - Zur embryonalen Differenzierung der Gonadenanlage bei coleoiden Cephalopoden., *Zool. Jb. Anat.*, 109: 153-165.
- Fischer, J. Cl. & Riou, B., 1982. - Le plus ancien octopode connu (Cephalopoda, Dibranchiata): Proteroctopus ribeti nov. gen., nov. sp. du Callovien de l'Ardèche (France). *C. R. Acad. Sci. Paris*, 295 (III): 49-52.
- Flamigni, C. & Giovanardi, O., 1984. - Biological data collected during the Pipeta expeditions on the squid Loligo vulgaris Lam. in the Adriatic. FAO Fish. Rep., 290 : 143-146.
- Flores, E. E. C., 1983. - Laboratory observations on the visual attack of the squid, Todarodes pacificus. *Mem. Natl Mus. Victoria*, 44: 205-212.
- Flores, E. E. C., 1983. - Visual discrimination testing in the squid Todarodes pacificus: Experimental evidence for lack of color vision. *Mem. Natl Mus. Victoria*, 44: 213-227.

- Forsythe, J. W., 1984. - Observations on the reproductive biology of Octopus burryi Voss, 1950. Amer. Mal. Bull., 2: 92.
- Forsythe, J. W., 1984. - Octopus joubini (Mollusca: Cephalopoda): A detailed study of growth through the full life cycle in a closed sea water system. J. Zool. Lond., 202: 393-417.
- Forsythe, J. W., DeRusha, R. H. & Hanlon, R. T., 1984. - Notes on the laboratory culture of Octopus bimaculoides, the California Mud-Flat Octopus. Amer. Malac. Bull., 2: 92-93.
- Froerman, Yu. M., 1980. - Biomass estimates of young Illex illecebrosus (Lesueur, 1821) from a survey in Subareas 3 and 4 in March-April 1979. NAFO SCR Doc. 80/II/36 Ser. Nr. N067, 16 pp.
- Froerman, Yu. M., 1984. - Spectrum and trophic relationships of short-finned squid (Illex illecebrosus) in the Northwest Atlantic. NAFO SCS, 7: 67-76.
- Froerman, Yu. M. & Fedulov, M., Khalyukov, V. V., Shevchenko, E. N. & Amaratunga, T., 1981. - Preliminary results of the RV Atlant survey for short-finned squid, Illex illecebrosus, in subarea 4 between 3rd March and 4th May 1981. NAFO SCR Doc. 81/VI/41 Sr. Nr. N323, 13 pp.
- Gäde, G., 1980. - A comparative study of octopine dehydrogenase isoenzymes in gastropod, bivalve and cephalopod molluscs. Comp. Biochem. Physiol., 67 B: 575-582.
- Gayevskaya, A. V. & Nigmatullin, Ch. M., 1981. - Some ecological aspects of parasitary connections of the squid Stenoteuthis pteropus (Steenstrup) in the tropical Atlantic (in russ.). Biol. Nauki, 1: 52-57.
- Gilbert, S. P. & Sloboda, R. D., 1984. - Bidirectional transport of fluorescently labeled vesicles introduced into extruded axoplasm of squid Loligo pealei. J. Cell Biol., 99: 445-452.
- Gosline, J. M. & DeMont, M. E., 1984. - Jet-propelled swimming in squids: Scient. Amer., Jan. 1985: 74-79.
- Gosline, J. M. & Shadwick, R. E., 1982. - The biomechanics of the arteries of Nautilus, Nototodarus and Sepia. Pacif. Sci., 36: 283-296.
- Gosline, J. M. & Shadwick, R. E., 1983. - Molluscan Collagen and the mechanical organization in squid mantle. In: The Mollusca, vol. 1. Metabolic Biochemistry and Molecular Biomechanics (Hochachka, P. W. ed.). Academic Press, N. Y. & London: 371-398.
- Gosline, J. M., Steeves, J. D., Harman, A. D. & DeMont, M. E., 1983. - Patterns of circular and radial mantle muscle activity in respiration and jetting of the squid Loligo opalescens. J. exp. Biol., 104: 97-109.
- de Graaf, F., 1981. - Nautilus pompilius in captivity. Vie marine, 3: 375-379.
- Greenwald, L., Ward, P. D. & Greenwald, O. E., 1980. - Cameral liquid transport and buoyancy control in chambered nautilus (Nautilus macromphalus). Nature, 286: 55-56.
- Guerra, A., 1985. - La pesca de cefalopodos mediante poteras automaticas. Inf. Tec. Inst. Inv. Pesq., 123, 19 pp.

- Guerra, A. & Perez-Gandaras, G., 1983. - Las pesquerias mundiales de cefalopodos : situacion actual y perspectivas. Inf. tec. Inst. invest. pesq. (Barcelona), 102-104: 3-141.
- Haghighat, N, Cohen, R. S. & Pappas, G. D., 1984. - Fine structure of squid (Loligo pealei) optic lobe synapses. Neuroscience, 13: 527-546.
- Hamada, T. (ed.), 1980. - Nautilus macromphalus in captivity. Tokai Univ. Press, Tokyo, 104 pp.
- Hanlon, R. T., 1983. - Octopus briareus. In: Cephalopod Life Cycles, vol. I (P.R. Boyle, ed.), Academic Press, N. Y. & London, 251-266.
- Hanlon, R. T., 1983. - Octopus joubini. In: Cephalopod Life Cycles, vol. I (P.R. Boyle, ed.), Academic Press, N. Y. & London: 293-310.
- Hanlon, R. T. & Hixon, R. F., 1981. - In situ behavioral observations of cephalopods at Grand Cayman, B. W. I. Bull. Amer. Malacol. Union 1980: 72.
- Hanlon, R. T. & Hixon, R. F., 1983. - Laboratory maintenance and culture of octopuses and loliginid squids. In: Culture of marine invertebrates (C. J. Berg, ed.), Hutchinson Ross Publ. Co.: 44-61.
- Hanlon, R. T., Hixon, R. F. & Hulet, W. H., 1983. - Survival , growth and behavior of the loliginid squids Loligo plei, Loligo pealei and Lolliguncula brevis (Mollusca: Cephalopoda) in closed sea water systems. Biol. Bull., 165: 637-685.
- Hanlon, R. T., Forsythe, J. W. & Messenger, J. B., 1984. - Visual discrimination training of laboratory reared octopuses. Amer. Malacol. Bull., 2.
- Hanlon, R. T., Forsythe, J. W., Cooper, K. M., Dinuzzo, A. R., Folse, D. S. & Kelly, M. T., 1984. - Fatal penetrating skin ulcers in laboratory reared octopuses. J. Invert. Pathol., 44: 67-83.
- Hanlon, R. T. & Cooper, K. M., 1984. - Do the iridophores of the squid mantle reflect light or diffract light in the production of structural colours? Amer. Malac. Bull., 2: 91.
- Hara, T. & Hara, R., 1982. - Cephalopod retinochrome. In: Biomembranes, part H (Padxes, L., ed.), Academic Press, N.Y. & London: 190-197.
- Hartwick, B., 1983. - Octopus dofleini. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 277-291.
- Hartwick, E. B., Ambrose, R. F. & Robinson, S. M. C., 1984. - Den utilization and the movements of tagged Octopus dofleini. Mar. Behav. Physiol., 11: 95-110.
- Hartwick, E. B., Ambrose, R. F. & Robinson, S. M. C., 1981. - Dynamics of shallow-water populations of Octopus dofleini. Mar. Biol., 82: 65-72.
- Heppel, D. & Smith, S. M., 1983. - Recent Cephalopoda in the collections of the Royal Scottish Museum, Edinburgh. R. Scott. Mus. inf. ser. Nat. Hist., 10: 87 pp.

- Herring, P. J., 1983. - The spectral characteristics of luminous marine organisms. *Proc. Roy. Soc. B.*, 1219: 183-217.
- Hirtle, H. W. M., DeMont, M. E. & O'Dor, R. K., 1981. - Feeding, growth and metabolic rates in captive squid, Illex illecebrosus. *J. Shellfish Res.*, 1: 187-192.
- Hixon, R. F., 1983. - Loligo opalescens. In: *Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London: 95-114.
- Hixon, R. F. & Villoch, M. V., 1984. - Growth rings in the statoliths of young laboratory cultured squids (Loligo opalescens). *Amer. Malac. Bull.*, 2: 93.
- Hochachka, P. W. & Fields, J. H. A., 1982. - Arginine, glutamate and proline as substrates for oxidation and for glycogenesis in cephalopod tissues. *Pacif. Sci.*, 36: 325-335.
- Hochachka, P. W., Mommsen, T. P., Storey, J., Storey, K. B., Johansen, K. & French, C. J., 1983. - The relationship between arginine and proline metabolism in cephalopods. *Mar. Biol. Letters*, 4: 1-21.
- Hochberg, F. G. & Fields, W. G., 1980. - Cephalopoda: The squids and octopuses Chapter 17. In: *Intertidal invertebrates of California* (R. Morris, D. Abbott & E. Hadelie, eds.), Stanford Univ. Press, Stanford.
- Hochberg, F. G., 1983. - The parasites of cephalopods: A review. *Mem. Natl Mus. Victoria*, 44: 109-145.
- Hoeger, U. & Hochachka, P. W., 1984. - Gamma-glutamyltranspeptidase activity in the octopus, Octopus dofleini. *Mar. Biol. Letters*, 5 : 55-66.
- Houck, B. A., 1984. - Ultrastructural observations of the cephalopod lens. *Am. Malac. Bull.* , 2: 90-91.
- Homenko, L. P. & Khromov, D. N., 1984. - A new species of the genus Sepia (Cephalopoda, Sepiidae) from the Arabian Sea (in russ.). *Zool. Zh.*, 63: 1150-1157.
- Houck, B. A., 1982. - Temporal spacing in the activity patterns of three Hawaiian shallow-water octopods. *The Nautilus*, 96: 152-156.
- Hulet, W. H., 1982. - Commentary on the International Symposium on Functional Morphology of Cephalopods. *Malacologia*, 23: 203-208.
- Hurley, G. V., Odense, P. H., O'Dor, R. K. & Dawe, E. G., 1985. - Strontium labelling for verifying **daily** growth increments in the statolith of the short-finned squid (Illex illecebrosus) . *Can J. Fish. Aquat. Sci.*, 42: 380-383.
- Idelhaj, A., 1982. - Etude de la sélectivité du chalut de fond type espagnol utilisé dans la pêche des céphalopodes du Sahara marocain . *Inst. Sci. Pêches Marit. Travaux et Documents*, 33.
- Inoue, S., Kakoi, H., Okada, K., Tanino, H. & Goto, T., 1983. - Trace characterization of the Watasenia luciferase in eye and skin photophores of Watasenia scintillans. *Agric. Biol. Chem.*, 47: 635-636.

- Isay, S. V., Osheva, O. N. & Makarchenko, M. A., 1984. - Study on glyceryl ethers. II. α -glyceryl ether content in tissues of Octopus dofleini. Comp. Biochem. Physiol., 77B: 799-801.
- Ito, H., 1983. - Some observations on the embryonic development of Paroctopus conispadicus (Mollusca: Cephalopoda). Bull. Hokkaido Reg. Fish. Res. Lab., 48: 93-105.
- Joll, L. M., 1983. - Octopus tetricus. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London: 325-334.
- Juanico, M., 1980. - Developments in South American Squid Fisheries. Mar. Fish. Rev. July-August 1980: 10-14.
- Juanico, M., 1983. - Squid maturity scales for population analysis. FAO Fish. Tech. Pap. 231 (J. F. Caddy, ed.): 341-378.
- Kamiya, S. & Konno, K., 1984. - Calcium sensitivity of H-meromyosin and subfragment - 1 from squid mantle muscle. Bull. Jap. Soc. Sci. Fish., 50: 1889-1896.
- Kasahara, S., 1984. - Occurrence of the tropical species of oceanic squids in the Japan Sea, 1982-1983 (March). Bull. Jap. Soc. Sci. Fish. Oceanogr., 45: 176-179.
- Kataoka, S. & Yamamoto, T. Y., 1982. - Dynamic ultrastructure of the photoreceptor in Octopus ocellatus. Acta Anat. Nippon., 57: 296.
- Kataoka, S. & Yamamoto, T. Y., 1983. - Fine structure and formation of the photoreceptor in Octopus ocellatus. Biol. Cell, 49: 45-54.
- Kerth, K., 1983. - Radulaapparat und Radulabildung der Mollusken. II. Zahn- bildung, Abbau und Radulawachstum. Zool. Jb. Anat., 110: 239-269.
- Kiehling, C., 1984. - Neuropeptide und Herzfunktion: Untersuchungen am Octopus vulgaris. Diss. (Medizin) Univ. Ulm, Allg. Physiol.
- Kimura, Y., 1980. - Report on the second phase survey for commercial harvesting of octopuses in Western Australian waters. W. Austr. Dept Fish. and Wildlife, 47 pp.
- Kling, G. & Schipp, R., 1984. - The peripheral innervation of the heart of Eledone moschata demonstrated by histofluorescence microscopy. Experientia, 40: 1266-1268.
- Koeller, P. A., 1981. - Distribution, biomass and length frequencies of squid (Illex illecebrosus) in Division 4TVWX from Canadian Research vessel surveys: an update for 1979. NAFO SCR Doc. 80/II/17 Ser. Nr. 49: 11 pp.
- Kristensen, Th. K., 1983. - Gonatus fabricii. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed) Academic Press, N. Y. & London: 159-173.
- Kristensen, Th. K., 1984. - Biology of the squid Gonatus fabricii (Lichtenstein, 1818) from West Greenland waters. Meddelser om Grønland, Bioscience, 13: 1-17.

- Kristensen, Th. K. & Knudsen, J., 1982/83. - A catalogue of the type specimens of Cephalopoda (Mollusca) in the Zoological Museum, University of Copenhagen. *Steenstrupia*, 9: 217-227.
- Kubodera, T. & Jefferts, K., 1984. - Distribution and abundance of the early life stages of squid, primarily Gonatidae (Cephalopoda, Cegopsida) in the northern North Pacific. *Bull. Natl Sci. Mus. Tokyo*, ser. A, 10: 91-106.
- Kubodera, T. & Okutani, T., 1981. - Gonatus middendorffi, a new species of gonatid squid from the northern North Pacific, with notes on morphological changes with growth and distribution in immature stages ((Cephalopoda, Cegopsida). *Bull. Natl Sci. Mus.*, ser. A, 7: 7-27.
- Kubodera, T. & Okutani, T., 1981. - The systematics and identification of larval cephalopods from the northern North Pacific. *Res. Inst. North Pacif. Fisheries spec. vol.*: 131-159.
- Kubodera, T., Percy, W. G., Murakami, K., Kobayashi, T., Nakata, J & Mishima, S., 1983. - Distribution and abundance of squids caught in surface gill-nets in the sub-arctic Pacific, 1977-1981. *Mem. Fac. Fish. Hokkaido Univ.*, 30: 1-49.
- Landman, N. H., 1983. - Barnacle attachment on live Nautilus: Implications for Nautilus growth rate. *Veliger*, 26: 124-127.
- Landman, N. H., Rye, D. M. & Shelton, K. L., 1983. - Early ontogeny of Eutrechoceras compared to recent Nautilus and mesozoic ammonites: evidence from shell morphology and light stable isotopes. *Paleobiology*, 9: 269-279.
- Lange, A. M. T. & Sissenwine, M. P., 1983. - Squid resources of the Northwest Atlantic. *FAO Fish. Tech. Paper 231* (J. F. Caddy, ed.): 21-54.
- Langille, S. M. & Gill, T. A., 1984. - Postmortem metabolism of short-finned squid muscle (Illex illecebrosus). *Comp. Biochem. Physiol.*, 79 B: 361-367.
- Laverack, M. S., 1980. - Electrophysiology of the isolated central nervous system of the Northern octopus Eledone cirrhosa. *Mar. Behav. Physiol.*, 7: 155-169.
- Lipinski, M., 1983. - A description of a new species of enoploteuthid cephalopod Abralia siedbeckyi, spec. nov., with some remarks on Abralia redfieldi G. Voss, 1955 (Cephalopoda, Enoploteuthidae). *Veliger*, 25: 255-265.
- Lu, C. C., 1983. - The recent cephalopoda in the collections of the National Museum of Victoria. *Mem. Natl Mus. Victoria*, 44: 65.
- Lu, C. C. & Tait, R. W., 1983. - Taxonomic studies on Sepioteuthis Blainville (Cephalopoda: Loliginidae) from the Australian region. *Proc. R. Soc. Victoria* 95: 181-204.
- Machida, S., 1983. - A brief review of the squid survey by HOYO MARU No. 67 in Southeast Australian waters in 1979/80. *Mem. Natl Mus. Victoria*, 44: 291-295.

- Maddock, L. & Young, J. Z., 1984. - Some dimensions on the angular acceleration receptor systems of cephalopods. *J. mar. Biol. Ass. U. K.*, 64: 55-79.
- Manfrin Piccinetti, G. & Giovanaldi, O., 1984. - Données sur la biologie de *Sepia officinalis* L. dans l'Adriatique obtenues lors de l'expédition Pipeta. *FAO Fish. Rep.*, 290: 135-138.
 - Manfrin Piccinetti, G. & Rizzoli, M., 1984. - Données recueillies au cours des expéditions Pipeta sur la biologie d'*Eledone moschata* (Lam.) en Adriatique. *FAO Fish. Rep.*, 290: 139-141.
 - Mangold, K., 1983. - Food, feeding and growth in cephalopods. *Mem. Natl Mus. Victoria*, 44: 81-93.
 - Mangold, K., 1983. - *Octopus vulgaris*. In: *Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 335-364.
 - Mangold, K., 1983. - *Eledone moschata*. In: *Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 387-400.
 - Marquis, F., 1981. - Untersuchungen über die Entwicklung des Nervensystems im Embryo von *Octopus vulgaris* Lam. Ph. D. Thesis, Univ. Basel, 76 pp.
 - Marthy, H. J. & Hanlon, R. T., 1983. - Effects of laser microirradiation in chromatophore organs of embryonic and juvenile cephalopods. *Mikroskopie*, 40: 35-40.
- Mather, J. A., 1984. - Development of behaviour in *Octopus joubini* Robson, 1929. *Vie Milieu*, 34: 17-20.
- Mather, J. A. & O'Dor, R. K., 1984. - Spatial organization of schools of the squid *Illex illecebrosus*. *Mar. Behav. Physiol.*, 10: 259-271.
- McVean, A., 1984. - *Octopus* extraocular muscle. *Comp. Biochem. Physiol.*, 78 A: 711-718.
- Matlacola, A. D., Maddeck, L. & Denton, E. J., 1984. - Weights and lengths of *Sepia officinalis* trawled by the Laboratory's boats, 1978-1983. *J. mar. biol. Ass. U. K.*, 64: 735-737.
- Messenger, J. B., 1983. - Multimodal convergence and the regulation of motor programs in cephalopods. *Fortschr. Zool.*, 28: 77-98.
 - Millard de Montrion, C., 1984. - Etude de l'ultrastructure des gamètes de *Loligo vulgaris* (Céphalopode, Décapode). Thèse 3e cycle, Univ. Paris 6, 90 pp.
- Miller, K. I. & van Holde, K. E., 1982. - The structure of *Octopus dofleini* hemocyanin. *Comp. Biochem. Physiol. B*, 713: 1013-1018.
- Morales, J. J., 1981. - Algo nuevo en la pesca: el calamar. *Tecnica Pesquera*, 14: 24-29.
 - Moriyasu, M., 1981. - Biologie des pêches de céphalopodes benthiques. Application aux élédones, *Eledone cirrhosa* (Lam, 1798) du Golfe de Lion. Thèse 3e cycle, Univ. (USTL) Montpellier, 225 pp.

- Moriyasu, M., 1983. - Etude biométrique de la croissance d'Eledone cirrhosa (Lam., 1798) (Cephalopoda, Octopoda) du Golfe du Lion. Oceanol. Acta, 6: 35-41.
- Moriyasu, M., 1983. - Détermination des stades de maturation sexuelle des mâles d'Eledone cirrhosa Lam. du Golfe du Lion. Rapp. Comm. int. Mer Médit., 28 (5): 283-284.
- Moynihan, M., 1983. Notes on the behaviour of Euprymna scolopes (Cephalopoda: Sepiolidae). Behaviour, 85: 25-41.
- Moynihan, M., 1983. Notes on the behaviour of Idiosepius pygmaeus (Cephalopoda: Idiosepiidae). Behaviour, 85: 42-57.
- Moynihan, M., 1985. Why are cephalopods deaf? Am. Nat. 125: 465-469.
- Morris, C. C. & Aldrich, F. A., 1984. - Statolith development in the ommastrephid squid Illex illecebrosus (Lesueur, 1821). Amer. Malac. Bull., 2: 51-56.
- Morris, C. C. & Aldrich, F. A., 1984. - Statolith length and increment number for age determination in squid Illex illecebrosus (Lesueur, 1821) (Cephalopoda, Ommastrephidae). NAFO SCR Doc. 84/IX/104, 22 pp.
- Murata, M., 1983. - On the distribution and the behaviour under fishing lamps of young Japanese common squid, Todarodes pacificus Steenstrup, in the off-shore waters of northern Japan during spring and early summer. Bull. Hokkaido Reg. Fish. Res. Lab., 48: 37-52.
- Murata, M. & Shimazu, Y., 1982. - On some population parameters of flying squid Ommastrephes bartrami (Lesueur) in the Northwest Pacific. Bull. Hokkaido Reg. Fish. Res. Lab., 47: 1-10.
- Murata, M., Ishii, M. & Shingu, C., 1983. - Seasonal changes in location and water temperature of fishing grounds by jigging fishery for flying squid, Ommastrephes bartrami (Lesueur) with some considerations on migration and occurrence of the fishing ground. Bull. Hokkaido Reg. Fish. Res. Lab., 48: 53-77.
- Muravskaya, Z. A. & Shulman, G. E., 1982. - Nitrogen excretion rate of squid Stenoteuthis oualaniensis (Lesson). Ekol. Mor., 9: 101-104.
- Muntz, W. R. A. & Roj, U., 1984. - On the visual system of Nautilus pompilius. J. exp. Biol., 109: 253-263.
- Najai, S., 1983. - Evaluation du stock des céphalopodes commercialisables de la côte tunisienne avec référence particulière à la seiche, Sepia officinalis. Thèse 3e cycle, Univ. Tunis.
- Natsukari, Y., 1983. - Taxonomical and morphological studies on the loliginid squids. - III. Nipponololigo, a new subgenus of the genus Loligo. Venus, 42: 313-318.
- Nemoto, T., Okiyama, M. & Takahashi, M., 1984. - Aspects of the roles of squid in food chains of the antarctic marine ecosystems. Natl Inst. Polar Res. Mem., August 1984, special issue, 32: 89-92.

- Nesis, K. N., 1982. - Pacific Ocean zoogeography: comparison of pelagic zonation and regional subdivision of the shelf based on cephalopods. Fauna and hydrobiology of the shelf zones of the Pacific Ocean (Proc. XIV Pacific Sci. Congress, Issue 4).
- Nesis, K. N., 1983. - Dosidicus gigas. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London: 215-231.
- Nicol'skii, V. N. & Shulman, G. E., 1980. - Correlation of content of dry matter and content of fat and protein in squid liver. Sov. J. Mar. Biol., 6 : 290-292.
- Nixon, M., 1983. - Teuthowenia megalops. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 233-247.
- Nixon, M. & Budelmann, B. U., 1984. - Scale-worms - occasional food of Octopus. J. Mollusc. Studies, 50: 39-42.
 - Nixon, M., Macconnachie, E. & Howell, P. G. T., 1980. - The effects on shells of drilling by Octopus. J. Zool. Lond., 191: 75-88.
- Nixon, M. & Young, J. Z., 1984. - Ganglia not light organs in the suckers of octopods. J. Mollusc. Studies, 50: 69.
- Nolte, K. & Fioroni, P., 1983. - Zur Entwicklung der Saugnäpfe bei coleoiden Tintenfischen. Zool. Anz., 211: 329-340.
 - O'Dor, R. K., Mangold, K., Boucher-Rodoni, R., Wells, M. J. & Wells, J., 1984. - Nutrient Absorption, Storage and Remobilization in Octopus vulgaris. Mar. Behav. Physiol., 11: 239-258.
- Oba, T. & Tanabe, K., 1983. - Oxygen Isotope Analysis of the Shells of Nautilus pompilius from Tanôn Strait, the Philippines. In: Studies on Nautilus pompilius and its associated fauna from Tanôn Strait, the Philippines (Hayasaka, S., ed.), Kagoshima Univ. Res. Center South Pacific, occasional papers, 1: 1-54.
- O'Dor, R. K., 1983. - Illex illecebrosus. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 175-199.
- O'Dor, R. K. & Macalaster, E. G., 1983. - Bathypolypus arcticus. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press N. Y. & London: 401-410.
- O'Dor, R. K., Balch, N., Foy, E. A., Hirtle, R. M. W., Johnston, D. A. & Amaratunga, T., 1982. - The embryonic development of the squid, Illex illecebrosus, and the effects of temperature on development rates. J. Northwest Atl. Fish. Sci., 1: 41-46.
- Ogawa, Y., 1982. - Evaluation of the influence of changes in prey abundance on catch fluctuation of "shiroika", Loligo edulis, in coastal waters of southwestern Japan Sea. Bull. Jap. Soc. Fish. Oceanogr., 41: 10-16.
- Ogawa, Y., 1983. - An example of relationship between day-to-day variation in Loligo edulis fishery and hydrographic conditions within coastal waters of southwestern Japan Sea. Bull. Jap. Soc. Fish. Oceanogr., 42: 1-9.

- Ogawa, Y., Yamamoto, T., Nazumi, T. & Moriwaki, S., 1982. - Hydrography of fishing grounds for "shiroika", Loligo edulis, in coastal waters in the southwestern Japan Sea. Bull. Jap. Soc. Fish. Oceanogr., 41: 1-10.
- Ogawa, Y. & Yamada, H., 1983. - Distribution of Loligo edulis in a shelf region of the southwestern Japan Sea. Bull. Jap. Soc. Fish. Oceanogr., 44: 1-8.
- Ogura, M., 1983. - Summary of fishing gear and methods employed in the squid fishery of Japan. Mem. Natl Mus. Victoria, 44: 261-268.
- Okutani, K. K., 1982. - Further evidence for the antitumor activity of the squid internal shell. Bull. Jap. Soc. Sci. Fish., 48: 421-28.
- Okutani, T., 1983. - A new species of an oceanic squid, Moroteuthis pacifica from the North Pacific (Cephalopoda: Onychoteuthidae). Bull. Nat. Sci. Mus., ser. A (Zool.), 9: 105-112.
- Okutani, T., 1983. - Rare and interesting squid from Japan. VIII. Rediscovery of Promachoteuthis megaptera Hoyle, 1885 (Oegopsida: Promachoteuthidae). Venus, Jap. J. Malacol., 42: 241-247.
- Okutani, T., 1983. - Abralia marisarabica, a new enoploteuthid squid from the Arabian Sea (Cephalopoda: Oegopsida). Bull. Nat. Sci. Mus., ser. A (Zool.), 9: 161-168.
- Okutani, T., 1983. - Todarodes pacificus. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 201-214.
- Okutani, T. & Kawaguchi, T., 1983. - A mass occurrence of Argonauta argo (Cephalopoda: Octopoda) along the coast of Shimano Prefecture, Western Japan Sea. Venus, Jap. J. Malac., 41: 281-290.
- Okutani, T. & Murata, M., 1983. - A review of the biology of the oceanic squid Onychoteuthis borealijaponica. Mem. Natl Mus. Victoria, 44: 189-195.
- Okutani, T. & Watanabe, T., 1983. - Stock assessment by larval surveys of the winter population of Todarodes pacificus Steenstrup (Cephalopoda: Ommastrephidae) with a review of early works. Biol. Oceanogr., 2: 401-431.
- Osako, M. & Murata, M., 1983. - Stock assessment of cephalopod resources in the northwestern Pacific. FAO, Fish. Tech. Pap. 231 (J. F. Caddy, ed.): 55-144.
- O'Sullivan, D. & Cullen, J. M., 1983. - Food of the squid Nototodarus gouldi in Bass Strait. Austr. J. Mar. Freshwater Res., 34: 261-285.
- Orlov, O. Yu., Kondrashev, S. L. & Gnyubkin, V. F., 1981. - Electrophysical study of optic neurons in cephalopods. Biol. Mor., 3: 50-54.
- Packard, A., 1982. - Morphogenesis of chromatophore patterns in cephalopods: are morphological and physiological "units" the same? Malacologia, 23: 193-201.
- Packard, A., 1983. - "Visual units" in the skin of Octopus (Abstr.). J. Physiol., 346: 34.

- Palmegiano, G. B. & D'Apote, M. P., 1983. - Combined effects of temperature and salinity on cuttlefish (Sepia officinalis L.) hatching. *Aquaculture*, 35: 259-264.
- Patterson, J. A. & Silver, S. C., 1983. - Afferent and efferent components of Octopus retina. *J. Comp. Physiol. A*, 151: 381-387.
- Piccinetti, C. & Jukic, S., 1984. - Considérations sur les premiers résultats de la campagne de chalutage Pipeta. *FAO Fish. Rep.*, 290: 181-185.
- Polglase, J. L., 1980. - Some aspects of the anatomy of the alimentary canal of the lesser octopus, Eledone cirrhosa (Lamarck, 1798) with special reference to the nervous system. Ph. D. Thesis, Univ. St. Andrews.
- Polglase, J. L., Bullock, A. M. & Roberts, R. L., 1983. - Wound healing and the haemocyte response in the skin of the lesser octopus Eledone cirrhosa (Mollusca: Cephalopoda). *J. Zool. Lond.*, 201: 185-204.
- Radtke, R. L., 1983. - Chemical and structural characteristics of statoliths from the short-finned squid Illex illecebrosus. *Mar. Biol.*, 76: 47-54.
- Rainer, S. F., 1984. - Temporal changes in a demersal fish and cephalopod community of an unexploited coastal area in Northern Australia. *Austr. J. Mar. Freshw. Res.*, 35: 747-768.
- Randall, R. M., Randall, B. M. & Klingelhoeffer, E. W., 1981. - Species diversity and size ranges of cephalopods in the diet of jackass penguins from Algoa Bay, South Africa. *S. Afr. J. Zool.*, 16: 163-166.
- Rathjen, W. F., 1983. - Present status of North American squid fisheries. *Mem. Natl Mus. Victoria*, 44: 255-260.
- Redmond, J. R. & Bourne, G. B., 1982. - Vascular resistance in the isolated gills of Octopus macropus and Nautilus pompilius. *Pacif. Sci.*, 36: 297-303.
- Relini, G. & Orsi Relini, L., 1984. - The role of cephalopods in the inshore trawl fishing of the Ligurian Sea. *Oebalia*, 10: 37-58.
- Richardson, B. J., 1983. - Protein variation in Nototodarus gouldi from south-eastern Australia. *Mem. Natl Mus. Victoria*, 44: 199-208.
- Rodaniche, A. F., 1984. - Iteroparity in the lesser pacific striped octopus, Octopus chierchiai (Jatta, 1889). *Bull. Mar. Sci.*, 35 : 99-104.
- Roberts, P. E., 1983. - The biology of jig-caught arrow squid (Nototodarus spp.) in New Zealand waters. *Mem. Natl Mus. Victoria*, 44: 297-303.
- Robinson, S. M. C. & Hartwick, E. B., 1983. - Relationship between beak morphometrics and live wet weight of the giant Pacific octopus, Octopus dofleini martini (Wülker). *Veliger*, 26: 26-29.
- Robles, L. J., Cabebe, C. S., Aguilo, J. A., Anyakora, P. A. & Bok, D., 1984. - Autoradiographic and biochemical analysis of photoreceptor membrane renewal in Octopus retina. *J. Neurocytology*, 13: 145-164.
- Romero, N., 1981. - Atun y calamar, pilares del consumo masivo. *Tecnica Pesq.*, 14: 12-15.

- Roper, C. F. E., 1983. - An overview of cephalopod systematics: status, problems and recommendations. Mem. Natl Mus. Victoria, 44: 13-27.
- Roper, C. F. E., 1984. - S. Stillman Berry (1887-1984): A tribute through glimpses and reflections. Amer. Malacol. Bull., 3: 55-61.
- Roper, C. F. E. & Voss, G. L., 1983. - Guidelines for taxonomic description of cephalopod species. Mem. Natl Mus. Victoria, 44: 48-63.
- Roper, C. F. E. & Sweeney, M. J., 1983. - Techniques for fixation, preservation, and curation of cephalopods. Mem. Natl Mus. Victoria, 44: 28-47.
- Roper, C. F. E. & Sweeney, M. J., 1984. - Catalog of worldwide cephalopod resources: a review (Abstr.). Amer. Malacol. Bull., 2: 89.
- Roper, C. F. E., Sweeney, M. J. & Nauen, C. E., 1984. - FAO species catalogue. Vol 3. Cephalopods of the world. An annotated and illustrated catalogue of species of interest to fisheries. FAO Fish. Synop. 125, 3, 277 pp.
- Rudman, W. B., 1983. The cephalopod collections of the Australian Museum. Mem. Natl Mus. Victoria, 44: 67-70.
- Russo, G. & Tringali, G., 1983. - Hemagglutinating and antibacterial activity of hemolymph of Octopus vulgaris. Rev. Int. Oceanogr. Med., 70/71:49-54.
- Saibil, H. R., 1984. - A light-stimulated increase of cyclic GMP in squid photoreceptors (FEBS 1284). FEBS Letters, 168: 213-216.
- Saibil, H. R. & Michel-Villaz, M., 1984. - Squid rhodopsin and GTP-binding protein crossreact with vertebrate photoreceptor enzymes. Proc. Natl Acad. Sci. USA (Biophys.), 81: 5111-5115.
- Saidel, W. M., 1982. - Connections of the Octopus optic lobe: an HRP study. J. comp. Neurol., 206: 346-358.
- Sakai, J. & Matsumoto, J., 1981. - Proteolytic enzymes of squid mantle muscle. Comp. Biochem. Physiol., 68 B: 389-395.
- Sakai-Suzuki, J., Sakaguchi, J., Hoshino, S. & Matsumoto, J. J., 1983. - Separation of cathepsin D-like proteinase and acid thiol proteinase of squid mantle muscle. Comp. Biochem. Physiol., 75 B: 409-414.
- Sanchez, P., 1982. - Algunos aspectos biológicos de la pota Todarodes sagittatus (Lamarck) de las aguas de Namibia. Colln scient. int. comm. S.E. Atl. fish., 9: 319-322.
- Sanchez, P., 1983. - Quelques caractéristiques biométriques d'Illex coindetii (Mollusca: Cephalopoda) de la Mer Catalane. Rapp. Comm. int. Mer Médit., 28/5: 285-288.
- Sanchez, P. & Moli, B., 1984. - The cephalopods of the Namibian coast (s. E. Atlantic). Inv. Pesq., suppl. 12: 3-22.
- Sanchez, P., 1984. - Determinacion de la edad y de los parametros del crecimiento de Illex coindetii (Vérany, 1837) en el Mar Catalan (Mediterraneo occidental). Inv. Pesq., 48: 59-70.

- Sanders, M. J. & Bouhleb, M., 1983. - Mesh selection study conducted in the People's Democratic Republic of Yemen on the cuttlefish, Sepia pharaonis. FAO, Fish. Tech. Pap. 231 (J. F. Caddy, ed.): 181-203.
- Sato, M., Wong, T. Z., Brown, D. T. & Allen, R. D., 1984. - Rheological properties of living cytoplasm: A preliminary investigation of squid axoplasm (Loligo pealei). Cell Motility, 4: 7-23.
- Sato, T. & Hatanaka, H., 1983. - A review of assessment of Japanese distant-water fisheries for cephalopods. FAO Fish. Tech. Rep. 231 (J. F. Caddy, ed.): 145-180.
- Saunders, B. W., 1981. - The species of living Nautilus and their distribution. Veliger, 24: 8-17.
- Saunders, B. W., 1981. - A new species of Nautilus from Palau. Veliger, 24:1-7.
- Saunders, W. B., 1983. - Natural rates of growth and longevity of Nautilus belauensis. Paleobiology, 9 : 280-288.
- Saunders, W. B., 1984. - Nautilus growth and longevity: Evidence from marked and recaptured animals. Science, 224: 990-992.
- Scalera Liaci, L. & Piscitelli, G., 1982. - Alimentazione di Sepia officinalis L. nella laguna di Lesina. Boll. Mus. Ist. Biol. Univ. Genova, 50: 398.
- Schipp, R., Liebermann, H., Martin, A. W. & Magnier, Y., 1985. - Cytomorphology and function of the pericardial appendages of Nautilus (Cephalopoda, Tetrabranchiata). Zoomorphology, 105: 16-29.
- Segmüller, M. & Marthy, H.-J., 1984. - The cephalopod embryo, a suitable system for the in situ recording of cell migration. Experientia, 40: 636.
- Shadwick, R. E., 1980. - Viscoelasticity and pulse wave velocity in the aorta of Octopus dofleini. Amer. Zool., 20: 768.
- Sheumack, D. D., Howden, M. E. H. & Spence, I., 1984. - Occurrence of a tetrodotoxin-like compound in the eggs of the venomous blue-ringed octopus (Hapalochlaena maculosa). Toxicon, 22: 811-812.
- Shikuni, S., 1983. - Cephalopod resources in the Indo-Pacific region. FAO Fish. Tech. Pap. 231 (J. F. Caddy, ed.): 264-305.
- Shimek, R., 1984. - Escape behavior of Rossia pacifica Berry, 1911. Amer. Malac. Bull., 2: 91-92.
- Shingu, C., Murata, M. & Ishii, M., 1983. - Changes in catch of common squid, Todarodes pacificus Steenstrup, in the Pacific coasts of Japan. Bull. Hokkaido Reg. Fish. Res. Lab., 48: 21-36.
- Shinko, B. P., 1984. - Ageing and biological peculiarities of Todarodes sagittatus (Lamarck). ICES, C.M. 1984/K: 12 Shellfish Committee, 12 pp.
- Shoga, K., 1982. - Recent records of the oceanic squid Ommastrephes bartrami (Lesueur), in the Sea of Japan. Bull. Jap. Sea Reg. Fish. Res. Lab., 33: 151-154.

- Shulman, G. E. & Yakovleva, K. K., 1981. - On dry substances, fat and fatless dry substance contents in the liver of Stenoteuthis oualaniensis (Lesson) from the Indian Ocean tropical zone. *Ekol. mor.*, 5: 87-95.
- Shulman, G. E. & Nigmatullin, Ch. N., 1981. - Changes of liver indices in squid Stenoteuthis oualaniensis (Lesson) from the Indian Ocean tropical zone under experimental conditions (in russ.). *Ekol. mor.*, 5: 95-103.
- Siezen, R. J., 1983. - Squid lens cytoskeleton and membrane proteins. *Curr. eye res.*, 2: 579-589.
- Singley, C. T., 1983. - Euprymna scolopes. In: *Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.). Academic Press, N. Y. & London: 69-74.
- Slack-Smith, S. M., 1983. - The cephalopod collection of the Western Australian Museum. *Mem. Natl. Mus. Victoria*, 44: 71-75.
- Smith, H. K., 1983. - Fishery and biology of Nototodarus gouldi (McCoy, 1888) in western Bass Strait. *Mem. Natl. Mus. Victoria*, 44: 285-290.
- Smith, J. D., 1983. - Radio-nuclides and heavy metals in Nototodarus gouldi. *Mem. Natl. Mus. Victoria*, 44: 201-203.
- Stanley, E. F., 1984. - The action of cholinergic agonists on the squid stellate ganglion giant synapse. *J. Neurosci.*, 4: 1904-1911.
- Stanley, E. F. & Adelman, W. J., 1984. - Direct access of ions to the squid stellate ganglion giant synapse by aortic perfusion: effects of calcium-free medium, lanthanum and cadmium. *Biol. Bull.*, 167: 467-476.
- Starobogatov, Ya. I. & Nesis, K. N., 1983. - Taxonomy and ecology of cephalopods. *Zool. Inst. Leningrad* (in russ.), 148 pp.
- Stefano, G. B., Hall, B., Makman, N. H. & Dvorkin, B., 1981. - Opioid inhibition of dopamine release from nervous tissue of Mytilus edulis and Octopus bimaculatus. *Science*, 213: 928-930.
- Storey, K. B., 1981. - Effects of arginine phosphate and octopine on glycolytic enzyme activities from Sepia officinalis mantle muscle. *J. Comp. Physiol. B*, 142: 501-507.
- Storey, K. B. & Storey, J. M., 1983. - Carbohydrate metabolism in cephalopod molluscs. *The Mollusca*, vol. I (P. W. Hochachka, ed.), Academic Press, N. Y. & London: 91-136.
- Summers, W. C., 1983. - Loligo pealei. In: *Cephalopod Life Cycles*, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 115-142.
- Summers, W. C., 1983. - Physiological and trophic ecology of cephalopods. In: *The Mollusca*, vol. 6 (W. D. Russell-Hunter, ed.) Academic Press, N. Y. & London: 261-279.
- Sundermann, G., 1983. - The fine structure of epidermal lines on arms and head of post-embryonic Sepia officinalis and Loligo vulgaris (Mollusca, Cephalopoda). *Cell Tissue Res.*, 232: 669-677.

- Suzuki, H., 1980. - Some biological aspects of the common squid, Todarodes pacificus Steenstrup that comes over to off Yogashima, Kanagawa Prefecture II. Bull. Kanagawa Pref. Fish. Exp. Sta., 1: 15-23.
- Suzuki, S. & Kuwahara, A., 1981. - Some morphological aspects of squid Loligo edulis budo, in the sea off Kyoto Prefecture. Bull. Jap. Soc. Fish. Oceanogr., 39: 1-6.
- Suzuki, H. & Tasaki, K., 1983. - Inhibitory retinal efferents from dopaminergic cells in the optic lobe of the octopus. Vision Res., 23: 451-457.
- Suzuki, S., Kuwahara, A. & Washo, K., 1983. - Study on the fishing condition: an ecological aspect of squids Loligo edulis budo and Sepioteuthis lessoniana within coastal waters of Kyoto Prefecture. Bull. Jap. Soc. Fish. Oceanogr., 42: 21-27.
- Sweeney, M. J. & Roper, C. F. E., 1984. - The zoological taxa and bibliography of S. Stillman Berry. Amer. Malacol. Bull., 3: 69-82.
- Tanabe, K., Hayasaka, S., Saisho, T., Shinomiya, A. & Aoki, K., 1983. - Morphological variation of Nautilus pompilius from the Philippines and Fiji Islands. In: Studies on Nautilus pompilius and its associated fauna (Hayasaka, ed.) Kagoshima Univ. Res. Center for the South Pacific, Occasional Papers 1-54.
- Tasaki, I. & Nakaye, T., 1984. - Rapid mechanical responses of the dark-adapted squid retina to light pulses. Science, 223: 411-413.
- Tasaki, I. & Nakaye, T., 1985. - Heat generated by the dark-adapted squid retina in response to light pulses. Science, 277: 654-655.
- Terio, E., Tiecco, G. & Tantillo, G., 1983. - Utilizzazione della SDS-PAG elettroforesi per l'identificazione di specie nei molluschi cefalopodi. Riv. Zool. Vet., 11: 214-218.
- Thomas, T. P. & Philip, G., G., 1983. - Control of glycogen phosphorylase from mantle muscle of the cuttlefish, Sepia pharaonis. Indian J. Biochem. Biophys., 20: 205-207.
- Thomas, T. P. & Philip, G., 1983. - Purification and properties of glycogen phosphorylase a from mantle muscle of the cuttlefish, Sepia pharaonis. Indian J. Biochem. Biophys., 20: 198-202.
- Tintant, H. & Kabamba, M., 1983. - Le Nautilé, fossile vivant ou forme cryptogène ? Essai sur l'évolution et la classification des Nautilacés. Bull. Soc. Zool. Fr., 108: 569-579.
- Toll, R. B. & Hess, S. C., 1981. - Cephalopods in the diet of the swordfish, Xiphias gladius, from the Florida straits. Fish. Bull., 79: 765-774.
- Toll, R. B., 1983. - The leucoteuthid genus Oregoniateuthis Voss, 1956, a synonym of Lycoteuthis Pfeffer, 1900 (Cephalopoda, Teuthoidea). Proc. Biol. Soc. Wash., 96: 365-369.

- Traulsen, A. K., 1981. - Estado actual de la pesqueria del calamar gigante en el estado de Baja California Sur. Serie Cientifica Mexico, nr. 21.
- Trites, R. W., 1983. - Physical oceanographic features and processes relevant to Illex illecebrosus spawning in the western North Atlantic and subsequent larval distribution. NAFO SCS, 6: 39-56.
- Vandenberg, G. A., 1983. - Light-regulated biochemical events in squid photophores. Diss. Sbst. Int. Pt B - Sci. & Eng., 43: 194 pp.
- Van Heukelem, W. F., 1983. - Octopus cyanea. In: Cephalopod Life Cycles, vol I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 267-276.
- Van Heukelem, W. F., 1983. - Octopus maya. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.) Academic Press, N. Y. & London: 311-323.
- Voss, G. L., 1981. - A redescription of Octopus ornatus Gould, 1852 (Octopoda: Cephalopoda) and the status of Callistoctopus Taki, 1964. Proc. Biol. Soc. Wash., 94: 525-534.
- Voss, G. L., 1983. - A review of cephalopod fisheries biology. Mem. Natl Mus. Victoria, 44: 229-241.
- Voss, N. A. & Voss, R. S., 1983. - Phylogenetic relationships in the cephalopod family Cranchiidae (Oegopsida). Malacologia, 23: 397-426.
- Voss, R. S., Estabrook, G. F. & Voss, N. A., 1983. - A comparison of information-theoretically optimal classifications with estimates of phylogenetic relationships in the squid family Cranchiidae (Cephalopoda: Oegopsida). Z. Zool. Syst. Evolutionsforsch., 21: 81-95.
- Wadley, V. A. & Lu, C. C., 1983. - Distribution of mesopelagic cephalopods around a warm-core ring in the East Australian Current (Abstr.). Mem. Natl Mus. Victoria, 44: 197.
- Ward, P. D., 1983. - Nautilus macromphalus. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London: 11-28.
- Ward, P., 1984. - Morphology and bathymetry in Sepia. Amer. Malacol. Bull., 2: 91.
- Ward, P., 1984. - Compensatory buoyancy change in Nautilus macromphalus. Amer. Malacol. Bull., 2: 90.
- Ward, P. D. & Martin, A. W., 1980. - Depth distribution of Nautilus pompilius in Fiji and Nautilus macromphalus in New Caledonia. Veliger, 22: 259-264.
- Ward, P., Greenwald, L. & Rougelle, F., 1980. - Shell implosion depth for living Nautilus macromphalus and shell strength of extinct cephalopods. Lethaia, 13: 182.
- Ward, P., Greenwald, L. & Greenwald, O. E., 1980. - The buoyancy of the chambered Nautilus. Scient. American, 243 (4): 162-175.
- Ward, P. D. & Greenwald, L., 1982. - Chamber refilling in Nautilus. J. mar. biol. Ass. U. K., 62: 469-475.

- Ward, P. D. & Chamberlain, J., 1983. - Radiographic observation of chamber formation in Nautilus pompilius. *Nature*, 304: 57-59.
- Ward, P. D. & Boletzky, S. v., 1984. - Shell implosion depth and implosion morphologies in three species of Sepia (Cephalopoda) from the Mediterranean Sea. *J. mar. biol. Ass. U. K.*, 69: 955-966.
- Ward, P., Barlson, B., Weekly, M. & Brumbough, B., 1984. - Remote telemetry of daily vertical and horizontal movement of Nautilus in Palau. *Nature*, 309: 248-250.
- Weischer, M. L. & Marthy, H. J., 1983. - Chemical and physiological properties of the natural tranquillizer in the cephalopod eggs. *Mar. Behav. Physiol.*, 9: 131-137.
 - Wells, M. J., 1980. - Nervous control of the heartbeat in Octopus. *J. exp. Biol.*, 85: 111-128.
 - Wells, M. J. & Mangold, K., 1980. - The effects of extracts from neurosecretory cells in the anterior vena cava and pharyngo-ophthalmic vein upon the hearts of intact, free-moving octopuses. *J. exp. Biol.*, 84: 319-334.
 - Wells, M. J., 1983. - Circulation in Cephalopods. In: *The Mollusca*, vol. 5 Physiology (A. S. M. Saleuddin & K. M. Wilbur, eds.), Academic Press, N. Y. & London: 239-290.
 - Wells, M. R., O'Dor, R. K., Mangold, K. & Wells, J., 1983. - Diurnal changes in cativity and metabolic rate in Octopus vulgaris. *Mar. Behav. Physiol.*, 9: 275-287.
 - Wells, M. J., O'Dor, R. K., Mangold, K. & Wells, J., 1983. - Oxygen consumption in movement by Octopus. *Mar. Behav. Physiol.*, 9: 289-303.
 - Wells, M. J., O'Dor, R. K., Mangold, K. & Wells, J., 1983. - Feeding and metabolic rate in Octopus. *Mar. Behav. Physiol.*, 9: 305-317.
 - Wells, M. J. & Wells, J., 1983. - The circulatory response to acute hypoxia in Octopus. *J. exp. Biol.*, 104: 59-71.
 - Wells, M. J. & Wells, J., 1984. - The effect of reducing gill area on the capacity to regulate oxygen uptake and on metabolic scope in a cephalopod. *J. exp. Biol.*, 108: 393-401.
- Westermann, G. E. G. & Ward, P., 1980. - Septum morphology and bathymetry in cephalopods. *Paleobiology*, 6: 48-50.
- Wiborg, K. F. & Gjølsaeter, J., 1981. - The squid Todarodes sagittatus (Lamarck). Distribution and biology in northern waters, April 1980- April 1981. *Int. C. Expl. Sea. Shellfish Committee K* : 14.
- Wiborg, K. F. & Beck, I. M., 1983. - The squid Todarodes sagittatus (Lamarck). Distribution and biology in northern waters August 1982-June 1983. *Int. Counc. Expl. Sea. Shellfish Cimmittee K* : 7.

- Wiborg, K. F., Gjøsaeter, J. & Beck, I. M., 1982. - The squid Gonatus fabricii (Lichtenstein). Investigations in the Norwegian Sea and Western Barents Sea 1978-1981. Int. Counc. Expl. Sea. Shellfish Committee K : 31.
- Wiedmann, J. & Boletzky, S. v., 1982. - Wachstum und Differenzierung des Schulps von Sepia officinalis unter künstlichen Aufzuchtbedingungen - Grenzen der Anwendung im palökologischen Modell. N. Jb. Geol. Pal., 164: 118-133.
- Willekeus, B., Vrensen, G., Jacob, T. & Duncan, G., 1984. - The ultrastructure of the lens of the cephalopod Sepioloa: a scanning electron microscopic study. Tissue Cell, 16: 941-950.
- Winstanley, R. H., Potter, M. A. & Caton, A. E., 1983. - Australian Cephalopod Resources. Mem. Natl. Mus. Victoria, 44: 243-253.
- Wittland, C. & Fioroni, P., 1982. - Zum ontogenetischen Auftreten von ectodermalen Vesikeln bei dibranchiaten Cephalopoden. Zool. Beitr. N. F., 28: 67-77.
- Wolf, G. & Declair, W., 1981. - A study of copper and copper proteins in the eggs of Sepia officinalis L. Ann. Soc. r. Zool. Belg., 110: 115-122.
- Wolf, G., Witters, R., Declair, W. & Lontie, R., 1980. - Immunological evidence for haemocyanin-related proteins in mature eggs and embryos of Sepia officinalis L. Arch. Int. Physiol. Biochim., 88 B: 254.
- Wolff, G. A., 1984. - Identification and estimation of size from the beaks of 18 species of cephalopods from the Pacific Ocean. NOAA Tech. Rep. NMFIS 17, 50 pp.
- Wolterding, M. R., 1981. - The rearing and maintenance of Octopus briareus in the laboratory with aspects of their behavior and biology. Bull. Amer. Malac. Union 1980: 73.
- Woodruff, D. S., Mulvey, M., Saunders, B. & Carpenter, P., 1983. - Genetic variations in the cephalopod Nautilus belauensis. Proc. Acad. Nat. Sci. Philadelphia, 135: 147-153.
- Worms, J., 1983. - Schéma migratoire d'une population de Loligo vulgaris Lam. (Cephalopoda, Teuthoidea) du Golfe du Lion (France). Rapp. Comm. int. Mer Médit., 28: 277-279.
 - Worms, J., 1983. - Loligo vulgaris. In: Cephalopod Life Cycles, vol. I (P. R. Boyle, ed.), Academic Press, N. Y. & London: 143-157.
 - Worms, J., 1983. - World Fisheries for Cephalopods: A synoptic Overview. FAO Fish. Tech. Pap. 231 (J. F. Caddy, ed.): 1-20.
- Wormuth, J. H. & Roper, C. F. E., 1983. - Quantitative sampling of oceanic cephalopods by nets: Problems and recommendations. Biol. Oceanogr., 2: 357-377.
- Würtz, M. & Repetto, N., 1983. - Aspects of cephalopod fishery in the Ligurian Sea. Rapp. Comm. int. Mer Médit., 28: 269-275.

- Yamamoto, M., 1984. - Photoreceptor collaterals in the cuttlefish retina. *Zool. Sci.*, 1: 501-503.
- Yamamoto, M. & Takasu, N., 1984. - Membrane particles and gap junctions in the retina of two species, Octopus ocellatus and Sepiella japonica. *Cell Tissue Res.*, 237: 209-218.
- Yamamoto, M. & Yoshida, M., 1984. - Reexamination of the ultrastructure of rhabdomeric microvilli in the Octopus photoreceptor. *Biol. Cell*, 52: 83-86.
- Yang, W. T., Hanlon, R. T., Krejci, M. E., Hixon, R. F. & Hulet, W. H., 1983. - Laboratory rearing of Loligo opalescens, the market squid of California. *Aquaculture*, 31: 77-88.
- Yang, W. T., Hixon, R. F., Turk, P. E., Krejci, M. E., Hanlon, R. T. & Hulet, W. H., 1983. - Culture of California market squid from hatching - completion of the rearing cycle to second generation hatchlings. *Aquabiology*, 5: 328-339.
- Yoshioka, T., Inoue, H., Takagi, M., Hayashi, F. & Amakawa, T., 1983. - The effect of isobuthylmethylxanthine on the photoresponse and phosphorylation of phosphatidylinositol in octopus retina. *Biochim. Biophys. Acta*, 755: 50-55.
- Yoshitomi, B. & Konno, K., 1982. - Enzymatic properties of myosin ATPase from squid Todarodes pacificus mantle muscle. *Bull. Jap. Soc. Sci. Fish.*, 48: 581-586.
- Yoshitomi, B., Kamiya, S. & Konno, K., 1984. - Heavy meromyosin from squid mantle muscle. *Bull. Jap. Soc. Sci. Fish.*, 50: 1555-1559.
- Young, J. Z., 1983. - The distributed tactile memory system of Octopus. *Proc. R. Soc. B*, 218: 135-176.
 - Young, J. Z., 1984. - The statocysts of cranchiid squids (Cephalopoda). *J. Zool. Lond.*, 203: 1-21.
- Young, R. E., 1983. - Oceanic bioluminescence: An overview of general functions. *Bull. Mar. Sci.*, 33: 829-845.
- Zann, L. P., 1984. - The rhythmic activity of Nautilus pompilius, with notes on its ecology and behaviour in Fiji. *Veliger*, 27: 19-28.
- Zeidler, W., 1983. - The cephalopod collection in the South Australian Museum. *Mem. Natl Mus. Victoria*, 44: 77-79.
- Zheng, W. Y. & Zi, M. J., 1981. - Electrophysiological studies on the adaptational characteristics of retinogram of squid Sepiella maindroni. *J. Mar. Sci./ Hai Yang Ke Xue*, 4: 37-40.

